

SUBMIT IN TR (Other instructions on

Form approved, Budget Bureau No. 42-R1425.


UNITED STATES DEPARTMENT OF THE INTERIOR

reverse side) 5. LEASE DESIGNATION AND SERIAL NO. **GEOLOGICAL SURVEY** U-15392 6. IF INDIAN, ALLOTTEE OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME DRILL X DEEPEN | PLUG BACK h. TYPE OF WELL 8 mile flat Proposed OII, X SINGLE ZONE MULTIPLE Zone GAS WELL X 8. FARM OR LEASE NAME OTHER 2. NAME OF OPERATOR 9. WELL NO. HIKO BELL MINING & OIL COMPANY 3. ADDRESS OF OPERATOR #11-1 10. FIELD AND POOL, OR WILDCAT 3 West Main Vernal, UT 84078 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface Wildcat 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 661' FWL 1979' FSL Section 11, T9S, R18E, S.L.B.& M. At proposed prod. zone Sec. 11, T9S, R18E, S.L.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEXHEST TOWN OR POST OFFICE. 12. COUNTY OR PARISH | 13. STATE 20 mile South of Myton, UT 15. BISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drig. unit line, if any) 17. NO. OF ACRES ASSIGNED TO THIS WELL 16. NO. OF ACRES IN LEASE 661 400' AC 40 Acres 18. DISTANCE FROM PROPOSED LOCATIONS 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. N/A 65001 Rotary 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL START* 4890' July 15, 1981 23. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12½" 300 8 5/8" 40# New Circ. to surface 5½" 7/8" 15.5# New 6500 440 Sacks

See Attachments

IN . zon pre 24.

10 Point Drilling Plan Blow out Preventer Location Plat 13 Point Surface Use Plan Cut Sheet Topo Map "A" Topo Map "B"



DIVISION OF OIL, GAS & MINING


		on present productive zone and proposed new productive ns and measured and true vertical depths. Give blowout
SIGNED Lobert Charmeton	TITLE Sec. Treas. M.	anager Explo. DATE June 18, 1981
(This space for Federal or State (Tipe use)		
PERMIT NO.	APPROVAL DATE	
APPROVED BY	TITLE	APPROVED BY THE STATE
CONDITIONS OF APPROVAL, IF ANY:		OH. GAS. AND MANAG
•		DATE 7/16/81
	*Can Instructions On Bourse Cide	10 tout

PROJECT

HIKO BELL MINING & OIL CO.

Well location, 8 Mile Flat //-/, located as shown in the NW1/4 SW1/4 Section II, T9S, R18E, S.L.B.&M. Uintah County, Utah.

T95, R18E, S.L.B.&M.



X = Section Corners Located

CERTIFICATE


THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NUTTS OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ART THE LAW CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF

REGISTERED LAND SUFVEYORY
REGISTRATION Nº 3137
STATE OF UTAH

STATE OF UTAH'

UINTAH ENGINEERING & LANC SURVEYING PO BOX Q - 85 SOUTH - 200 EAST VERNAL, UTAH - 84078

WEATHE	R FAIR & HOT		FILE HIKO BELL	MINING	9. OII
PARTY	DK, JP, KR	RS	REFERENCES GLO PLAT		
SCALE	1"= 1000'		DATE 6/17/81		



HIKO BELL MINING & OIL COMPANY

8 Mile Flat #11-1

Section 11, T9S, R18E, S.L.M.

Uintah County, Utah

DRILLING PLAN

- 1. The geologic name of the surface formation is in the Tertiary Uinta Formation.
- 2. Estimated tops of important geologic markers are as follows:

Green River Formation	1350
Wasatch Tongue	5300
Wasatch Formation	5820
Proposed T.D.	6500

Oil or gas may be encountered in the Green River and Wasatch Formations.
 No other formations are expected to produce water, oil, gas or other minerals in measureable quantities.

4.	Size of Hole	Size of Casing & Wt./ft.	Setting Depth	Quantity of Cement
	12¼"	8 5/8", 40.0#, new	300'	Circ to surface
	7 7/8"	5½", 15.50#, new	6500 '	440 sx.

- 5. Operator's minimum specifications for pressure control equipment is a 10", 3000 psi hydraulic blowout preventer. Blowout preventor will be tested daily. Refer to Diagram "C".
- 6. Fresh water base drilling mud will be used for the entire drilling operations, utilizing a dispersed mud system to a total depth. Mud weight will be controlled by controlling drilling solids. Barite will be used for weighing material in the event that abnormal pressures are encountered. Total system volume will be 350 barrels, not including potential reserve pit volume.
- 7. Auxiliary equipment is as follows:
 - (1) Kelly Cocks
 - (2) Bit Floats
 - (3) A full opening-quick close drill pipe valve is to be located on the derrick floor at all times.
- 8. Commercial shows of oil and gas will be tested. We are anticipating drill stem tests in the Wasatch and Green River Formations. No coring is anticipated.

DRILLING PLAN, continued Hiko Bell Mining & Oil Company Sec. 11, T9S, R18E, S.L.M. Uintah County, Utah

Page Two

The logging program is as follows:

- (1) Mud logging unit: from 300' to T.D.
- (2) Dual Induction Laterlog-T.D. to base of surface casing.
- (3) BHC-Gamma Ray Sonic w/Caliper, Integrated T.D. to base of surface casing.
- (4) Formation Density/Compensated Neutron: Zones of interest.
- 9. No abnormal pressures or temperatures are anticipated. No potential hazards such as hydrogen sulfide are expected, based upon well experience in the area.
- 10. The anticipated starting date: July 15, 1981

HIKO BELL MINING & OIL COMPANY

Robert E. Covington

Secretary - Treasurer Manager Exploration

Vernal, Utah June 15, 1981

HIKO BELL MINING and OIL COMPANY

13 Point Surface Use Plan

For

Well Location

8 Mile Flat #11-1

Located In

Section 11, T9S, R18E, S.L.B.& M.

Uintah County, Utah

1. EXISTING ROADS

To reach Hiko Bell Mining & Oil Company well location 8 Mile Flat #11-1 located in the SW½ SW½ Section 11, T9S, R18E, S.L.B.& M., Uintah County, Utah; proceed Southwesterly out of Myton, Utah along U.S. Highway 40 - 1.5 miles to the junction of this Highway and Utah State Highway 53, to the South; proceed Southerly along this Highway 1.5 miles more or less, to the intersection of Utah State Highway 53 and Utah State Highway 216, thence proceed Southeasterly along Utah State Highway 216 10.9 miles to the junction of this road and an existing road to the East; proceed Easterly along this service road 7.1 miles to the point at which the road exists to the North, proceed Northerly along this road 1000' to the proposed location site.

The Highways mentioned in the foregoing paragraph are bituminous surfaced roads up to the intersection of Utah State Highway 53 and 216, at which point Utah State Highway 216 is constructed out of existing native materials that are prevalent to the existing area. It is located in and ranges from clay to sandy-clay shale materials, as are the aforementioned dirt oil field service roads and other roads in the vicinity.

There is no anticipated construction on any portion of the above described roads. They will meet the necessary standards required to facilitate an orderly flow of traffic during the drilling phase, completion phase, and production phase, of the well. These roads will be maintained at the standards required by the B.L.M. or other controlling agencies.

2. PLANNED ACCESS ROAD

See Topographic Map "B". There will be no planned access road. The existing road described in Item #1 goes to the location site.

3. LOCATION OF EXISTING WELLS

See Topographic Map "B".

There are no knowns production wells, abandoned wells, temporarily abandoned wells, water wells, disposal wells, drilling wells, shut in wells, injection wells, monitoring or observation wells for other resources within a one mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

There are no Hiko Bell Mining & Oil Company tank batteries, production facilities, oil gathering lines, gas gathering lines, injection lines, or disposal lines within a mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES - cont...

In the event that production is established, plans for a flowline from this location to existing lines in the area will be submitted to the proper authorities and the existing area of the location will be utilized for the establishment of the necessary production facilities.

The total area that is needed for the production of this well will be fences and cattleguards which will be utilized for access to these facilities.

The area will be built if possible, with native materials and if these materials are not available, then the necessary arrangements will be made to get them from private sources.

These facilities will be constructed using bulldozers, graders, and workmen crews to construct and place the proposed facilities.

If there is any deviation from the above, all appropriate agencies will be notified.

Rehabilitation of disturbed areas no longer needed for operations after construction is completed will meet the requirements of Item #10.

5. LOCATION OF AND TYPE OF WATER SUPPLY

Water to be used for the drilling and production of this well will be hauled by truck from the Duchesne River, at a point where Highway 40 crosses it North of Myton, Utah, approximately 21.5 miles to the North of the proposed location site.

In the event that the above source is not used, other arrangements will be made with the proper authorities for an alternate source.

All regulations and guidelines will be followed and no deviations will be made unless all concerned agencies are notified.

There will be no water well drilled at this location site.

6. SOURCES OF CONSTRUCTION MATERIALS

All construction material for this location site and access road shall be borrow materials accumulated during the construction of the location site and access road. No additional road gravels or pit lining materials from other sources are anticipated at this time, but if they are required the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of a sandy-clay soil and sandstone and shale material gathered in actual construction of the road and location.

7. METHODS FOR HANDLING WASTE DISPOSAL

A reserve pit shall be constructed, and at least half of the depth of the reserve pit shall be below the existing ground surface. Non-flammable materials such as cuttings, salts, chemicals, etc., will be buried in the reserve pit and covered with a minimum of four feet of earth materials. Prior to the onset of drilling, the reserve pit will be fenced on three sides. Upon completion of drilling, the fourth side of the reserve pit will be fenced and allowed to dry completely before backfilling and reclamation are attempted. A portable toilet will be supplied for human waste.

A trash basket will be provided for flammable materials. Waste will be hauled by truck to the nearest sanitary landfill.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time, and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached Location Layout Sheet.

The B.L.M. District Manager shall be notified before any construction begins on the proposed location site and road.

As mentioned in Item #6, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lines with a gel and any other type of material necessary to make it safe and tight.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See Location Layout Sheet and Item #9). When all drilling and production activities have been completed, the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash basket will be hauled to the nearest sanitary landfill. The reserve pit will be completely fenced and allowed to dry before covering. When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.L.M. District Manager when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said cleanup and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area - (See Topographic Map "A").

The area is a basin that lies between the Book Cliff Mountains to the South and the Uinta Mountains to the North. The area is interlaced with numerous canyons and ridges which are extremely steep with numerous ledges formed in sandstone, conglomerates, and shale deposits.

The majority of the washes and streams in the area are non-perennial streams and flow to the Southeast and are tributaries to the Green River.

The soils of the semi-arid area are of the Uinta Formation and Duchesne River Formation (the Fluvial, Sandstone, Mudstone) from the Eocene and Quaternary Epoch (gravel surfaces) and the visible geologic structures consist of light brownish clay (OL) to sandy soils (SM-ML) with poorly graded gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates, and shales).

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area is common of the semi-arid region we are located in and in the lower elevations of the Uinta Basin. It consists of, as primary flora, areas of sagebrush, rabbitbrush, some grasses, cacti, and large areas of bare soils devoid of any growth. In the areas that are formed along the edges of perennial streams cottonwoods, willows, tamarack, sagebrush, rabbitbrush, grasses, and cacti can be found.

The fauna of the area is sparse and consists predominantly of mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to the area.

The birds of the area are raptors, finches, ground sparrow, magpies, crows, and jays.

The area is used by man for the primary purpose of grazing domestic livestock.

The Topography of the Immediate Area (See Topographic Map "B").

8 Mile Flat #11-1 location site sits on a sloping hillside Southwest of a non-perennial drainage which drains into the Pariette Draw which is located approximately 3 miles to the East of the location. Pariette Draw drains into the Green River to the Southeast.

The geologic structure of the location is of the Uinta Formation and consists of light brownish-gray clay (SP-CL) with some sandstone outcrops.

The ground slopes for the Southeast through the location to the North-west at approximately 0.2% grade.

11. OTHER INFORMATION - cont...

The location is covered with some sagebrush and grasses.

There are no occupied swellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

Robert E. Covington
HIKO BELL MINING & OIL COMPANY
3 West Main P.O. Drawler AB,
Vernal, Utah 84078

1-801-789-3233

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access road route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operation proposed herein will be performed by HIKO BELL MINING & OIL COMPANY and its contractors and subcontractors in conformity with this plan and terms and conditions under which it is approved.


6-18-81


Date


Robert E. Covington

Secretary - Treasure

Manager Exploration







** FILE NOTATIONS **

DATE: 91	lly 8,191	8/		
OPERATOR:	A cho y	Bellmin	ing + dil co.	
		rile Ila		<u></u>
Location:	Sec//	T. <u>95</u> F	R. 188 County: Unital	
File Prepar	ed:		Entered on N.I.D:	
Card Indexe	d:		Completion Sheet:	
		API Number 2	43-047-3031029	
CHECKED BY:				
Petrol	eum Engineer:			
Direct	or: <u>OK</u> (CHI		
Admini:	strative Aide	: of as for K	rule C 3; obon boundre	in
	<u> </u>			
APPROVAL LE	TTER:			
Bond Re	equired:	7	Survey Plat Required:	7
Order 1	No		O.K. Rule C-3	
Rule C-	·3(c), Topogra within	uphic Exception a 660' radius	- company owns or controls acr	eage
Lease 1	Designation /	ted/	Plotted on Map	
	•	Approval Lette	r Written	
Hot Lin		P.I	7	

July 17, 1981 Hiko Bell Mining & Oib Company 3 Wast Main Vermal, Utah 84078 RE: Well No. Eight Mile Flat #11-1 Sec. 11, T. 95, R. 186. Uintah County, Utah Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure. Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following: MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001 Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquirers) are encountered during drilling. Your cooperation in completing this form will be appreciated. Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified. The API number assigned to this well is 43-047-30029. Sincerely, DIVISION OF OIL, GAS, AND MINING Cleon B. Feight Director CBF/db CC: USGS

DRILL IN THE CICKLE.	Turm attracts
Other distriction on	Budget Bureau

• _	DEPARTMEN	OF ITE	IN I C	KIOK			S LEASE DESIGNATION AND BURIAL NO.
,	GEOLO	GICAL SURV	ΈY				U-15392
APPLICATIO	N FOR PERMIT	O DRILL,	DEEF	EN, OR	PLUG B	ACK	G. IN INDIAN, ALLOTTEE OR TRIBE NAME
1a. TYPE OF WORK DR	ILL X	DEEPEN		Р	LUG BAC	:к 🗀	T. UNIT AGREEMENT NAME
OIL X	SAS NELL X OTHER	,		NINCLE	MULTUR BONE		8 mile flat Proposed 6. FARM OR LEASE NAME
2. NAME OF OPERATOR					A. 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	160	
HIKO BELL MIN	ING & OIL COMPA	NY ·			1 1 1 m		9. WELL NO.
3. ADDRESS OF OPERATOR					3	ار کی	#11-1
3 West Main V	ernal, UT 8407	8		1.		· .	10 CRIELD AND FOOL OR WILDCAT
4. LOCATION OF WELL (F	Report location clearly and	in accordance wi	th any	State requirer	# (a.*) (, (C	Wildcat
661' FWL 1979 At proposed prod. 201	' FSL Section 1	1, T9S, R18	BE, 9	5.L.B.6 P			M1. SEC., T., B., M., OR BLE. AND SURVEY OR AREA
Same	AND DIRECTION FROM NEA	FFFT TOWN 000		~	હૈ	$\frac{\sqrt{\alpha}}{\sqrt{\alpha}}$	Sec. 11, T9S, R18E, S.L.M
20 mile South	of Myton, UT	OK POS	51 OF \$10			ON.	12. COUNTY OR PARISH 13. STATE
15. DISTANCE FROM PROP LOCATION TO NEARES	USED*		16. N	O. OF ACEES	N LEASE		OF ACRES ASSIGNED HIS WELL
PROPERTY OR LEASE		661'		400'	AC	1	40 Acres
18 DISTANCE PROM PRO	POSED LOCATION®		19. r	ROPOSED DEPT	n	20. ROTA	RY OR CABLE TOOLS
OR AFFLIED FOR, ON TH	IN LEASE, FT. N/A		ĺ	6500 '			Rotary
21. ELEVATIONS (Show wh	ether DF, RT, GR, etc.)				-		22. APPROX. DATE WORK WILL START*
4890 '							July 15, 1981
23.	1	ROPOSED CASI	NG AN	D CEMENTI	NG PROGRA	.M	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	TGO	SETTING	DEPTH	1	QUANTITY OF CEMENT
121/4"	8 5/8"	40# New	J	300'		C	irc. to surface
7 7/8"	5날"	15.5# N	lew	6500	1	4.	40 Sacks
					· · · · · · · · · · · · · · · · · · ·		
	•	•		• .		•	•

See Attachments

10 Point Drilling Plan Blow out Preventer Location Plat 13 Point Surface Use Plan Cut Sheet Topo Map "A" Topo Map "B"

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24,

HICKED EBUY E Covington	TITLE Sec. Treas. Manager Ex	plo. DATE 7-19-81
(This space for Federal or State office 169)		
PREMITING	ARREAVAL DATE	· •

E. W. GUYNN

DISTRICT ENGINEER

JUL 24 1981

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

*See Instructions On Reverse Side

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80

State 046

Identification CER/EA No. 556-81	
----------------------------------	--

United States Department of the Interior Geological Survey 2000 Administration Bldg. 1745 West 1700 South Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTI	FICATION
Operator	liko Bell Mining & Oil Company
Project Type	Oil Well - Wildcat
Project Locati	on 661' FWL 1979' FSL Section 11, T. 9S, R. 18E
Well No	1-1 Lease No. U-15392
	Submitted July 20, 1981
FIELD INSPECT	ON DateJuly 22, 1981
Field Inspecti Participants	Craig Hansen USGS, Vernal
•	Bud Covenington Hiko Bell
	Gary Slagel BLM, Vernal
Related Enviro	onmental Documents:
guidelines. fore, does no	te Prepared the proposal in accordance with the categorical exclusion review represent an exception to the categorical exclusions. Environmental Scientist
I concur	FOR E. W. GUYNN DISTRICT ENGINEER
	Date William District Supervisor


Typing In _____July 23, 1981 _____Typing Out _____July 23, 1981

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

Criteria 516 DM 2.3.A	Corre- spondence (date)	Phone check (date)	gency Meeting (date)	Local and private correspondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
Public health and safety	B/m 7-23-81					·	2	246	
Unique charac- istics	- /						2	246	
Environmentally controversial	1				·		2	2,46	
. Uncertain and unknown risks	1						2	246	·
. Establishes precedents							2	246	·
. Cumulatively significant							2	246	
. National Register	1		·					1 7	
. Endangered/ threatened species	1					·			
. Violate Federal, State, local, tribal law	1							·	

RECOMMENDED STIPULATIONS FOR HIKO BELL #11-1

- Existing access road east of the location will not be disturbed or blocked to allow safe travel.
- 2. Production facilities will be painted a tan color to blend in with the natural surroundings.
- 3. Production flowlines will follow existing access roads to main transmission lines.
- 4. Adhere to BLM Surface Stipulations.
- 5. Existing roads will be maintained to allow safe travel.





United States Department of the Interior

T & R U-801

BUREAU OF LAND MANAGEMENT VERNAL DISTRICT OFFICE 170 South 500 East Vernal, Utah 84078

July 23, 1981

Ed Guynn, District Engineer USGS, Conservation Division 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

Re: Hiko Bell & Oil Company Joint Onsite Inspection T9S, R18E, Sec. 11 #11-1

Dear Mr. Guynn:

On July 22, 1981, a joint onsite inspection was made of the above referenced well site location and proposed access road by people representing Hiko Bell Mining & Oil Company, USGS, and the BLM. We feel that the surface use and operating plans are adequate with the following stipulations:

- 1. Construction and maintenance of roads, rehabilitation of disturbed areas, and construction of pipeline routes shall be in accordance with surface use standards as set forth in the booklet, "Surface Operating Standards for Oil and Gas Exploration and Development."
- The maximum width of access roads will be 30 feet total disturbed area. Turnouts will not be required and traveling off the rightof-way will not be allowed.
- 3. Topsoil will be stockpiled as addressed in the applicants 13 Point Plan. Our office recommends the top 6-10 inches of soil materials be stockpiled.
- 4. The BLM will be notified at least 24 hours prior to any construction.
- 5. The BLM will be notified at least 24 hours prior to any rehabilitation.
- 6. A burn pit will not be constructed. There will be no burying of garbage or trash at the location. All trash must be contained and hauled to an approved disposal site.



Continued . . .

- 7. All permanent (on site for six (6) months duration or longer) structures constructed or installed shall be painted a flat (non-reflective) earth tone color to match Themec 23-08351 Mesa Brown Enduratone, or an approved equal. Facilities that are required to comply with 0.S.H.A. (Occupational Satety and Health Act) standards are excluded.
- 8. Existing access roads to the location will be maintained by the operator.
- 9. The road on the east end of the location will remain clear and open to public use.

An archaeological clearance has been conducted by Archaeological-Environmental Research Corporation of the proposed drill site and access road. No cultural materials were located on the surface of the survey areas.

The proposed activities do not jeopardize listed, threatened or endangered flora/fauna and their habitats.

Sincerely,

Ralph J. Heft

Area Manager

Diamond Mountain Resource Area

cc: USGS, Vernal Salt Lake

U. Sy GEOLOGICAL SURVEY - CONSERV	ATION DIVISION
FROM: : DISTRICT GEOLOGIST, ME, SALT LAKE CITY, UTAH	
TO : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH	(1)
SUBJECT: APD MINERAL EVALUATION REPORT	LEASE NO. 4 15,392
OPERATOR: Hiko Boll Wining + Ol-	WELL NO
LOCATION: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	R, SLM
County,Utal	
. (
1. Stratigraphy: ((: n tal - surface	·
Green River For ~ 1350	
WalagonyZone ~ 2200' Wasatel For 5820'	
5820	,
1500	
	- D. L. N. L. (above mahojony Z
2. Fresh Water: Probable in Green River	m piras rest (:
and Donglas Creek agnifers (be	L'an ort shale)
3. Leasable Minerals:	2/02
3. Leasable Minerals: Oil Shale from Mahagom	Zore to ~ 2400
ک ۵ داده ۱ ده داده کا داده استان الاده کا داده الاده کا داده ک	
4. Additional Logs Needed: adequate	
5. Potential Geologic Hazards: none expected	•
none experted	
6. References and Remarks:	
(KK)	
Signature: Date:	7 - 24 -81

Form 9-331 (May 1963)

16.

UNITED STATES DEPARTMENT OF THE INTERIOR (Other Instructions on reverse side)

Form approved, Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

11_15392

SUNDRY NOTICES AND REPORTS ON WELLS	E NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	
7. UNIT AGREEMENT NAME	
OIL GAS WELL Eight Mile Flat	Unit
2. NAME OF OPERATOR 8. FARM OR LEASE NAME	
Hiko Bell Mining & Oil Co.	
3. ADDRESS OF OPERATOR 9. WELL NO.	
P.O. Drawer AB, Vernal, Utah 84078 11-1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 10. FIELD AND POOL, OR WILDCA	T
See also space 17 below.) At surface Wildcat	
661' FWL 1979' FSL, Sec. 11, T9S-R18E, SLBM 11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA	
Sec. 11, T9S-R1	8E SLB
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH 13. STA	ATE
81-UT-179 4890' Uintah Ut	ah

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE		PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON*		WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING	REPAIRING WELL ALTERING CASING ABANDONMENT*
REPAIR WELL (Other)		CHANGE PLANS		(Other) (NOTE: Report results of mu Completion or Recompletion I	ltiple completion on Well leport and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 305 feet, $12\frac{1}{4}$ hole, set 300 feet, 24#, J-55, 8rd new casing, cemented with 220 sacks Class D cement and circulated to surface, good results. Waiting for drilling rig.

18. I hereby certify that the foregoing is true and corrections	et TITLE Sec/Treasurer	DATE 9-8-81
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE

AMUSED STATES	
UNITED STATES DEPARTMENT OF THE INTERIOR	
GEOLOGICAL SURVEY	

Form 9-329 Rev.Feb 76 OMB 42-RO356

MONTHLY REPORT OF **OPERATIONS**

Lease No.	บ–15392				
Communiti	zation Agreeme	n t No	_N/A		
Field Name	Wildcat	<u> </u>			
Unit Name	Fight	Mile	Flat Unit		
Participatii	g Area N/A				
County	Uintah		State _	Utah	
Operator_	Hiko Bell Mi	ning	& Oil Co.		

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of September . 19 81

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & H of H	TWP	RNG	- Status	Days Prod.	*Barrets of QU	*MCF of Gas	*Berrals of Visitor	Remarks
11-1	11 nwaswa	9S	18E	Drilling		CCT 0 DIVIS	2 1381 ON OF 8 MINING	-	Sept. 30 Move in Shannon Well Service Rig 3. Old T.D. 304' clean out cement to 294'. Oct. 1 Clean out cement to 304'. Drill 7 7/8" hole to 325'. Work on Mud pumps.
									Oct. 2 Drill to 364' with clear water Oct. 3 Drill 364-414' Oct. 4 Drill 414-491' Oct. 5 491-538'

Disposition of production (Le	*If none, so	state.	Drill 364-414' Oct. 4 Drill 414-491' Oct. 5 491-538'
	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month *Produced		30000000000000000000000000000000000000	SOUDIOGOUGOOOXX
*Sol4			*XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*Spilled or Lost		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		3CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
*Used on Leass *Injected			XXXXXXXXXXXXXXXXXX
*Injected *Surface Pits *Other (Identify)	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX	
*On hand, End of Month		XXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXX
*API Gravity/BTU Content			XXXXXXXXXXXXXXXXXX
Authorized Signature: Johe	1 Elaventa	Address: P.O. Drawe	r AB, Vernal, Utah 8407
Title: Sec-Treas.		_	_

Page 1 of 1

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-329 Rev.Feb 76

Weekly MONTHURREPORT OF OPERATIONS

Title: Sec-Tree

Lease No	U_15392		
Co	Vice A Vic	N/A	
Communitizat	ti on Agreement No. Wildcat	_N/A	
rield Name _	wildcat	<u> </u>	
	Eight Mile Fl		
Participating .	Area		
County	UTNTAH	State <u>UTAH</u>	
Operator <u>HI</u>	KO BELL MINING	& OIL COMPANY	

Page $\frac{1}{}$ of $\frac{1}{}$

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the essessment of liquidated damages (30 CFR 221.54 (3)), shutting down operations, or basis for recommendation to cancel the lease and forfait the bond (30 CFR 221.53).

Wed No.	Sec &	TWP	RNG	. Status	Days Prod.	*Barrets of Oil	*MCF of Gas	*Bends of Water	Remarks
1–1	NW 1/4 SW2/4 Sec 11	9S	18E	Drilling		00112	OIL, GAS & MINING	Oct. 6, 1981 Oct. 7, 1981 Oct. 8, 1981 Oct. 9, 1981 Oct. 10, 1981 Oct. 11, 1981	Drill 732'-846 Drill 846'-915

*If none, so state.

Disposition of production (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month *Produced		300000000000000000000000000000000000000	<u>3000000000000000000000000000000000000</u>
*Sold *Spilled or Lost		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*Flared or Vented *Used on Lease	XXXXXXXXXXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*Injected *Surface Pits	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	300000000000000000000000000000000000000	
*Other (Identify) *On hand, End of Honth		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
Authorised Signature: Lob	156 +	Address	30000000000000000000000000000000000000
Authorized Bignature: 106	est c stornyta	Address: P.O. Draws	r AR Vernal Ur 84078

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-329 Rev. Feb 76 OMB 42-RO356

WEEKLY

XMONTHLX REPORT OF OPERATIONS

Lease No	U-15392	
_		
Communitizati	on Agreement No. N	/A
Field Name	WILDCAT	(
Unit Name	FIGHT MILE FLAT	
Participating A	rea	
County	<u>UINTAH</u>	State UTAH
Operator <u>HIK</u>	O BELL MINING &	OIL COMPANY

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the mands of

thru Oct.17, 1981

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (5)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

No.	Sec. & M of M	TWP	RNG	- Status	Days Prod.	*Barrets of Oil	PMCF of Gas	"Barrels of Water	Remarks
1	NW4 SW4 Sec.11	9S	18E	, Drilling	3A5 &	10 100			Rig shut down. 10-12-81 thru 10-14-81. Oct.15: Clean up location; mud deep; start up and clean out hole to 631" on 10-15-8 Oct.16, clean out hole to T.D.915. Roads & Loc.impas Prep to rig down and move off Shann rig. Prep to move in Jacobs Drilling

Disposition of production (Lease, Participating Area, or Communitized Area basis)

	O11 & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
On hand, Start of Month		3000000000000000000000	30000000000000000000000000000000000000
Sold .			XXXXXXXXXXXXXXXX
Spilled or Lost		XXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Flared or Vented Used on Lease	SOCKEROCOCOCOCOCE		XXXXXXXXXXXXXXXXX
Injected			2000000000000000
Surface Pits Other (Identify)	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>3000000000000000000000000000000000000</u>	
On hand, End of Month API Gravity/BTU Content		XXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXX
	x Elowington	Address: P.O. Drave	r AR, Vernal, Ur 84078

Page ____ of ____1

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY)
--	---

Form 8-329

Rev. Feb 76

OMB 42~R0356

> REPORT OF **OPERATIONS**

Lease No	<u>U-1539</u>		
_			
Communitiza	ation Agreement No. Wildcat Eight Mile Flat	N/A	
Field Name	Wildcar		
Unit Name	Eight Mile Flat		
	Area		
		State_UTAH	
	IKO BELL MINING		

□ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of Week end 10-2319

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

NW¼ SW¼= S.11 9S 18E Rig up Ideco rig. Move out Shanne Rig 2; moving in Jacobs Drilling Co. Ideco. Grad ing location from storm damage. Rigging up. Pld T.D.915.	Well No.	Sec. & M of H	TWP	RNG	Well Status	Days Prod.	®Barrels ef Oil	*MCF of Gas	*Berrels of Water	Remarks
	1 – 1	NW 1/4 SW 1/4=			Rig up Ideco			2 t 19 ⁽⁵⁾	ef Water	Move out Shanno Rig 2; moving in Jacobs Drilling Co. Ideco. Grad ing location from storm damage. Rigging up.

isposition of production (L	*If none, so		rea basis)
	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
On hand, Start of Month Produced Sold		300000000000000000000000000000000000000	*XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Spilled or Lost Flared or Vented		XXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
Used on Lease	**************************************		NXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Injected Surface Pits Other (Identify)	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX	
On hand, End of Month API Gravity/BTU Content		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
uthorised Signature: Sau		Address: P_O Drawe	r AB, Vernal, Ut 84078
title: <u>Sec-Inea</u>	2 	Page 1	of

Form 8-329 Rev.Feb 76 OMB 42-RO356 Participating Area N/A County UINTAH SI OF OPERATIONS DAmended Report	the month of		
Form 8-329 Rev.Feb 76 Unit Name Eight Mile Flat Unit Name N/A County UINTAH St OF OPERATIONS D'Amended Report The tollowing is a correct report of operations and production (including status of all unplugged wells) for October 19 81 (See Reverse of Form for Instructions)	the month of		
Form 8-329 Rev.Feb 76 OMB 42-RO356 Participating Area N/A County UINTAH St OF OPERATIONS DAmended Report The tellowing is a correct report of operations and production (including status of all unplugged wells) for October 19 81 (See Reverse of Form for Instructions)	the month of		
Participating Area N/A County	the month of		
MONTHLY REPORT OF OPERATIONS DAmended Report The following is a correct report of operations and production (including status of all unplugged wells) for October (See Reverse of Form for Instructions)	the month of		
MONTHLY REPORT OF OPERATIONS DAmended Report The following is a correct report of operations and production (including status of all unplugged wells) for October (See Reverse of Form for Instructions)	the month of		
OF OPERATIONS Discrete report of operations and production (including status of all unplugged wells) for October (See Reverse of Form for Instructions)	the month of		
The following is a correct report of operations and production (including status of all unplugged wells) for October 19 81 (See Reverse of Form for Instructions)	the month of		
The following is a correct report of operations and production (including status of all unplugged wells) for October 19 81 (See Reverse of Form for Instructions)	60).		
(See Reverse of Form for Instructions)	60).		
(See Reverse of Form for Instructions)	60).		
·	60),		
on a server to required by the field by b. S. C. 187, M. D. S. L. 187, A. D. S. D. S. C. 277 F/6 ATSWARLOWN LAW WIS ALL			
and the terms of the lease. Failure to report can result in the sessessment of liquidated designs (30 CFE shutting down operations, or basis for recommendation to cancel the lesse and forfeit the bond (30 CFE	PK 444.34 (1)).		
The Cont State of Sparrets	Remedy		
Lo. M of M TEP RNG _Status Prod. 6' Oil 6-5 of Victor	wanz.aj		
11-1 Sec. 11			
NW ¹ / ₄			
SW 95 18E Drilling	Jacobs Drilling		
3W4 93 10L B1111119	Co. rig moved in		
	on 10-26-81;		
	rig up; clean		
	out & reamhole		
	to 915 ¹ ; drill		
	915' to 1696'.		
]		
	· I		
	1		
*If none, so state.			
Disposition of production (Leass, Participating Area, or Communitized A	rea basis)		
Oil & Condensate Gas	Water		
(BBLS) (MCF)	(BBLS)		
On hand, Start of Honth	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
Produced	XXXXXXXXXXXXXXXXX		
Sold xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
-Spilled of 10st	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
- I TATES OF VENEZUE	X00000000XXX		
*Used on Lease			
Forface Pits xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx			
Cother (Identify)			
#On hand, End of Honth	XXXXXXXXXXXXXXXX		
#API Gravity/BTU Content	XXXXXXXXXXXXXXXXX		
	_ · _ ·		
Authorized Signature: 16 best Clorington Addres: DO Drave	r AR Vernal, Ut 840		
obert E. Coyington			
Title: SECRETARY - Treasurer 1	- 1		
	of		

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76
OMB 42-RO356

MONTHLY REPORT

OF OPERATIONS (Continued)

Lease 110				
Communitizatio	n Agreement No.	N/A		
Field Name	Eight Mile	Flat	Unit	
Unit Name				
Participation A.	N / A			

Participating Area _____N/A

County ____Uintah ____State ___Utah

Operator ___Hiko Bell Mining & Oil Co.

□ Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells)

for the month of November 1981

(See Reverse of Form 9-329 for Instructions)

Robert E. Covington

Well No.	Sec. & M of M	TWP	RNG	Well Status	Days Prod.	#Barrets of Oil	*MCF of Gas	*Banels of Water	Treasurer Remarks
1-1	11 NW\SW\S	9 S	18E	Drilli	1g				Jacobs Drillin Co., Rig #2. Drilled 1696'- 5650'. Ran El. logs Ran 5½'', K-55, 17# Casing set at 5657 K.B. Cemented with 535 Sx. 50/50 Poz. w/2% gel & 10% salt. Preparing to perforate & frac.
								CASSING DIVISION OF GAS & MINIS	C C C C C C C C C C C C C C C C C C C

UNITED STATES
DEPARTMENT OF THE INTERIO
GEOLOGICAL SURVEY

Form 9-329 Rev.Feb 76
OMB 42-RO356

MONTHLY REPORT
OF
OPERATIONS

Lease No	U-16539		
Communitizati	on Agreement No.,		
Unit Name	Eight Mile Fla	at Unit	
Participating A	Area		
County	Uintah	State	Utah
Operator	Uintah Hiko Bell Mini	ng & Oil Co.	

□ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of December 1981

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated decages (30 CFR 221.54 (j)), abutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Vital Lip.	Sec &	TWP	RNG	_Status	Days Prod,	[#] Bær ਵੀs ਵੀ Oil	*HCF of Gas	econds of Valor	Remarks
1		9 s	18E	Vaiting on Completion Tools	n				Drilled 2403-639 Ran Schlumberger logs, ran 4½", K-55, l0.5# casi Set at 6286' KB. Waiting on completion rig. Prepairing to ru cement bond log & perforate.
					,				
:		·							-

Disposition of production (Lease, Participating Area, or Communitized Area basis) Gas Water 011 & Condensate (BBLS) (MCF) (BBLS) NOCK X NOCICE NOCICE NOCICE N ton hand. Start of Month [♠]Produced \$Sold XXXXXXXXXXXXXXXXXXXX aspilled or Lost oFlared or Vonted ¢Vsed on Lease *Injected *Surface Pits #Other (Identify) XXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXX #On hand, End of Month XXXXXXXXXXXXXXXXXXX AAPI Gravity/BTU Content P.O. Drawer AB,

wif none, so state.

Authorised Signature: Kobel Corung

Robert E. Covington

Page 1 of 1

Address: <u>Vernal</u>, Utah 84078

Title: Secretary-Treasurer

UNITED STATES	
DEPARTMENT OF THE INTERIOR	
GEOLOGICAL SURVEY	

Rev. Feb 76 Form 8-329 42-R0356 OMB

> **MONTHLY REPORT** OF **OPERATIONS**

Lease No	U-15392		
Communitiza	ition Agreement No		
Field Name.	<u> </u>		
Unit Name _	Eight Mile Fla	t Unit	
Participating	Area		
County	Uintah	State <u>Uta</u>	<u>h</u>
Operator	Hiko Bell Minin	g & Oil Co	

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of December 19 81

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Vited No.	Sec. & K of 4	TWP	RNG	Well Status	Days Prod.	#Barrels of Oil	*MCF of Gas	ण्टिञ्चलं\$ of V∆stcर	Remarks
-1	11	98	18E	Completi	bn		1		Ran Cement bond
-1	NW\SW\	70	102	Work			;:		log. Perforate
	1142544	1					j.		5444, 4650, 46
	1		l						4658,4663, 4664
	I	l	1			1			w/l hole/foot.
		ł	Ī	1			i?		Acidized w/1000
			1						gal 7½% HCl,
	1.	1	j				į		Frac'd w/32,00
		l	•	1					gal 5% HCl, 800 100 mesh sand
		Ì	•			L		v. ·	70,000# 20/40
		I	ļ			WILL LIZ	VOVIE IN		sand. Perf'd
	•	ļ	ł			111109	BU A VE		5002,,5004, 50
		į					-2111		5008, w/2 hole
		j				LAN.	1 1000	,	per foot. Aci
		Ì		1	ı	€m14	1 1932		w/500 gal 7½%
	l	İ]			2000# 100 mesh
	1]		I DIVISI	DN OF		sand & 40,000#
						OIL, GAS			10/40 sand. Ri
						,			up tanks & Sep
	L	<u></u>	L	<u> </u>		wif none, so	state.		ator, Prep to

				OIL, GAS &			up tanks & Seper-
lapor	eition of	production	n (Lease, Part	if none, so icipating Arc	state. A, or Comm	unitized A	ator, Prep to pur rea basis) on pump.
			011 & C (BB	ondensat e LS)	Gas (KCF		Water (BBLS)
		t of Honth			3000XXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXX
Produ							XXXXXXXXXXXXXXXXXX
Sold					XXXXXXXXX	XXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX
	led or Lo ed or Von		XXXXXX	XXXXXXXXXX			XXXXXXXXXXXXXXXXX
	on Lease				Į.		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*Inje	_						
_	ace Pits		XXXXXXX	XXXXXXXXXXX	XXXXXXXX	XXXXXXXXX	
-	r (Identi	fy)					
¢0n h	and, End	of Month			XXXXXXX	XXXXXXXX	XXXXXXXXXXXXXXXX
*API	Gravity/B	TU Content	<u> </u>	,			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
			Bur la	with	Address:	P.O. Drawe Vernal, Ut	
		·	Robert E. Covi	ington	Σ		
Title	Secr	etary-Treas			Pa	ge <u>1</u> (of <u>1</u>

Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

January 22, 1982

Hiko Bell Mining & Oil Company 3 West Main Vernal, Utah 84078

> Re: Well No. Eight Mile Flat #11-1 Sec. 11, T. 9S, R. 18E Uintah County, Utah

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and also all drilling information on this well is needed to be forwarded to this office as soon as possible.

Thank you for your cooperation relative to the above.


Very truly yours,

DIVISION OF OIL, GAS AND MINING

Cari Furse Clerk Typist

•	TE OF UTAH ERVATION COMMISSION	SUBMIT IN TRIPLICATES (Other instructions on reverue side)	5. LBASE DECICHATION AND SERIAL DO U-15392			
SUNDRY NOT (Do not use this form for propor Use "APPLICA"	ICES AND REPORTS ON the total of the total o	WELLS to a different reservoir.	6. 1P INDIAN, ALLOTTER OR TRIBE HAMI			
OIL YOU GAS CO			7. UNIT AGREEMENT NAME			
WALL WALL OTHER		:	Eight Mile Flat Unit			
Hiko Bell Mining & Oil	Company		S. FARM OR LHASE NAME			
P.O. Drawer AB, Vernal	,		0. wall no. 11-1			
LOCATION OF WELL (Report location of See also space 17 below.) At surface	early and in accordance with any Stat	e requirements.*	10. FIELD AND POOL, OR WILDCAT Wildcat			
661 FWL, 1979 FSL, Sec.	. 11, T9S, R18E SIM	÷	11. SEC. T. S. M., OF BLE. AND SURVEY OF AREA Sec. 11, T9S, R18E			
PERMIT NO.	18. BLEVATIONS (Show whether DF, RT, 4890 gr.	00, etc.)	18 COUNTY OR PARISH 18 STATE Utah			
Check Ap	propriate Box To Indicate Natur	e of Notice, Report, or O	her Data			
NOTICE OF INTENT	• • • • • • • • • • • • • • • • • • •	. :	WT REPORT OF:			
TEST WATER SEUT-OFF P	ULL OR ALTER CARING	WATER SHUT-OFF	REPAIRING WELL			
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)	ULTIPLE COMPLETE BANDON® HANGE PLANE	SHOOTING OR ACIDIEING (Other) Change of Open (Note: Report results or Completion or Recomblet	ALTERING CASING ABANDONMENT* erator f multiple completion on Well ion Report and Low form.)			
PRACTURE TREAT BHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction ment to this work.)	ULTIPLE COMPLETE BANDON* HANGE PLANS ATIONS (Clearly state all pertinent details) drilled, give subsurface locations of	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
PRACTURE TREAT SHOOT OR ACIDIES REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to	ULTIPLE COMPLETE BANDON* HANGE PLANS ATIONS (Clearly state all pertinent details) drilled, give subsurface locations of	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
BRACTURE TREAT SHOOT OR ACIDIEE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator Jacobs Oil & Gas Compar	BANDONS HANGE PLANS ATIONS (Clearly state all pertinent detaily drilled, give subsurface locations of that there is a change of	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
PRACTURE TREAT SHOOT OR ACIDIES REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator	ULTIPLE COMPLETE BANDON® HANGE PLANS ATIONS (Clearly state all pertinent detailly drilled, give subsurface locations of that there is a change of the complete ally drilled.	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator Jacobs Oil & Gas Compar 2467 Commerce Blvd.	ULTIPLE COMPLETE BANDON® HANGE PLANS ATIONS (Clearly state all pertinent detailly drilled, give subsurface locations of that there is a change of the complete ally drilled.	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator Jacobs Oil & Gas Compar 2467 Commerce Blvd.	ULTIPLE COMPLETE BANDON® HANGE PLANS ATIONS (Clearly state all pertinent detailly drilled, give subsurface locations of that there is a change of the complete ally drilled.	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
BRACTURE TREAT SHOOT OR ACIDIEE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator Jacobs Oil & Gas Compar 2467 Commerce Blvd.	ULTIPLE COMPLETE BANDON® HANGE PLANS ATIONS (Clearly state all pertinent detailly drilled, give subsurface locations of that there is a change of the complete ally drilled.	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator Jacobs Oil & Gas Compar 2467 Commerce Blvd.	ULTIPLE COMPLETE BANDON® HANGE PLANS ATIONS (Clearly state all pertinent detailly drilled, give subsurface locations of that there is a change of the complete ally drilled.	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
BRACTURE TREAT SHOOT OR ACIDIEE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator Jacobs Oil & Gas Compar 2467 Commerce Blvd.	ULTIPLE COMPLETE BANDON® HANGE PLANS ATIONS (Clearly state all pertinent detailly drilled, give subsurface locations of that there is a change of the complete ally drilled.	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			
BRACTURE TREAT SHOOT OR ACIDIEE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)* This is to notify you to New Operator Jacobs Oil & Gas Compar 2467 Commerce Blvd.	ULTIPLE COMPLETE BANDON® HANGE PLANS ATIONS (Clearly state all pertinent detailly drilled, give subsurface locations of that there is a change of the complete ally drilled.	FEACTURE TREATMENT SHOOTING OR ACIDISING (Other) Change of Op- (Note: Report results or Completion or Recompletions, and give pertinent dates, is and measured and true vertical	ALTERING CASING ABANDONMENTS CRATOR f multiple completion on Wellion Report and Log form.) acluding estimated date of starting and depths for all markers and sones performed.			

APPROVED BY	TITLE	DATE
(This space for Federal or State office use)		
R. E. COVINGION	TITLE Sec. Treas.	DATE 1-28-82
s. a mirroral contribit rather end interesting by the wind collect	•	



S T.	ATE OF UTAH	Other instructions on r	·	
OIL & GAS CONS	SERVATION COMMISSI	verue aida)	U-16540	BERIAL NO.
	TICES AND REPORTS (seals to drill or to deepen or plug is ATION FOR PERMIT—" for such p		6. IF INDIAK, ALLOTTES OR	TRIBE HAMI
1.		· · · · · · · · · · · · · · · · · · ·	7. UNIT AGREEMENT NAME	
OTL WELL OTHER			Eight Mile Fla	t Unit
2. HAKE OF OPERATOR			8. PARIS OR LUARE NAME	
Hiko Bell Mining & Oi	1 Company		4	
P.O. Drawer AB, Verna			9. wall to.	
4. LOCATION OF WELL (Report location of Bee also space 17 below.) At surface		State requirements.*	Belco 7-1 10. FIRLD AND POOL, OR WI Wildcat	LDCAT
1980 FNL & 1980 FWL Se	ec. 7, T9S-R18E, SLM		11. SEC., T., R., M., OR ELK. SURVEY OF AREA Sec. 7, T9S, P18E	
14. PERMIT NO.	15. BLEVATIONS (Show whether Dr.	, ET, OR, etc.)	12. COUPTY OF PARISH 18	. STATE
	5060 gr.	•	Uintah U	tah
16. Check A	ppropriate Box To Indicate N	lature of Notice, Report, or	Other Data	-
NOTICE OF INTER			CORMI REPORT OF:	
11-1 WATER SHOT-OFF	FULL OR ALTER CASING	WATER BRUT-OFF	ARPAIRING WELL	
. [7]	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CABING	• 🖂
SHOOT OR ACIDIZE	ABANDON*	SHOUTING OR ACIDIZING	ABANDONMENT	
REPAIR WELL	CHANGE PLANS	(Other) Change of	<u>Cherators</u> s of multiple completion on V	KX
(Other) 17. DESCRIBE PROPOSED OR COMPLETED OPP		Completion or Recom	pletion Report and Log form.)	
New Operator Jacobs Oil & Gas Compar 2467 Commerce Blvd. Grand Junction, Colorad	ny V	e of operator on thi	s well.	
FOR # 7-1		•		
FOR# 7-1 FOR# 11-1 FOR# 31				
FOR # 31	•			٠
,		-		
18. I hereby certify that the foregoing is		m		4
BIGNED IL.	TITLE Sec	Treas.	DATE 1-28-82	
(This space for Federal or State off-	ce trae)			
APPEOVED BY	NY:		DATE	

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(See other instructions on reverse side) Form approved. Budget Bureau No. 42–R355.i

5. LEASE DESIGNATION AND SERIAL

U-15392

	MAIL PETITOL	1 OK KECC	MILEHOIA	KEFOKI	AND L	OG			
1a. TYPE OF WE	LL: OI	L X CAB	DRY D	Other			7. UNIT AGE	EBMENT	NAME
A TYPE OF CO	MPLETION:						Eight N	ile l	Flat Unit
MELL X	OASE DI	FEP- DE PACK	DIFF.	Other	3' '		8. FARM OR	ARASE I	HAME
2. NAME OF OPERA	TOR			-	<u>:</u> : i			· · · · <u>·</u>	the contract of the contract o
HIKO I	BELL MINING	G OIL COM	PANY	: 1			9. WELL NO.	÷	
3. ADDRESS OF OP				F 12			#11-1-		- • • •
•	brawer AB,	-					1		OR WILDCAT
4. LOCATION OF W	ELL (Report locat	ion clearly and in	accordance with	any State requi	rements)*		WILDCAT		
At surface 66]	l' FWL, 197	91 FSL, See	c. 11, T9S,	P18E, S.	L.B.& M		11. BEC., T., OR AREA	k., X., 0	K BLOCK AND SUBVE
At top prod. in	iterval reported b						C 33	າກວ່າ	
same as	below			NWS			Sec. II	.,. 195	S, R18E, S.1
			14. PERMIT N	ю.	DATE ISSUE	<u> </u>	12. COUNTY	OR	18. STATE
5650'		•		31029			Uintah		Utah.
15. DATE SPUDDED	16. DATE T.D.	REACHED 17. DA						19. m	LEV. CASINGHEAD
July 31, 198					00 KB.	. (27, 25	-, -1, -1, -1, -1, -1, -1, -1, -1, -1, -	- 489	90
20. TOTAL DEPTH, MD		DG, BACK T.D., MD		LTIPLE COMPL	., 28.	INTERVAL		·	CABLE TOOLS
56501	565	0'	HOW	1		DEILLED B	T.D. 5650)."	
24. PRODUCING INTE	EVAL(S), OF THIS	COMPLETION TO	P, BOTTOM, NAME	(MD TAD)	· · · · ·			·	WAS DIRECTIONAL
Zone I- 5440		60-5566							SURVEY MADE
Zone II-5000)-5010	В	oth in Gree	n River F	ormation	ı	E _		NO:
26. TIPE LLBCTRIC								27. WA	S WELL CORED
Dual Inducti	on, Comput	er Processo	ed Log, Com	p. Neutro	n. Micro	o-Seis	mogram	No	· .
28.			SING RECORD (R	eport all string	s set in well)			`	
- CABING BIZE	WEIGHT, LB.	FT. DEPTH S	ET (MD) E	OLE SIZE	<u> </u>	Cementin	G RECORD		AMOUNT PULLED
8 5/8"	24# new	300	_1	21/2"	175 sx.	circ	to surfac	e	none
5½"	17#	5657'	7	7/8''	535 sx.	50/5	0 poz. w/g	el_	none T
•					1 1 2				
			<u> </u>	<u> </u>	<u>l:</u>		a	<u> </u>	
29.		LINER RECORI		.2 -	80.		TUBING RECO		
*III	TOP (MD)	BOTTON (MD)	SACES CEMENTS	SCREEN (M		22	DEPTH SET (M	<u>D) </u>	PACKER BET (MD)
	· · · · · · · · · · · · · · · · · · ·			_	2 3/	<u>/8''</u>	5007'		- ()
B1. PERFORATION RE	CORD (Interpal, a	ize and sumber)	<u> </u>	<u> </u>			,		<u> </u>
*			< A	\$2.	TERVAL (MD)	,	TURE, CEMEN		
5444,5446,50 Perforated w				5440-5			MOUNT AND EIN		ITERIAL DIED -
5005,5004,50		ie eacii.		3440-3	300		0 gal. 75%		
Perforated w		les each		5000-5	יחדח		c. info on gal. 7½%		<u> </u>
012014004 11	11 0W0 110	ies cacii.		3020 3	: :		c. info on		
38.•			PRO	DUCTION	<u>-, '' ''</u>	1224	c. Into on	Dacs	
ATE FIRST PRODUCT	FION PROD	UCTION METHOD (Floroing, gas lift,	pumping—eise	and type of	pump)	WELL	STATUS (-in)	(Producing or
Jan. 22, 19	82 - Pum	ping Hercul	es 160 pump	oing unit	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			ducin	ıg ·
Town 17 100	HOURS TESTED	CHOKE SIEB	PROD'N. FOR	OIL—BBL.		-MCF.	WATER—BBL		AS-OIL BATIO
Jan 11, 198	24 hr	5. 2"		120 b	DIS Z	MCF	0		
AOO 1bc	CASING PRESSU	RE CALCULATED 24-HOUR RA	oil—BBL 120 bbl:	G 1 2			BRL.		AVITY-API (CORE.)
400 1bs			120 001	> 4	6 MCF	'		در	32
vented	AAB (Sold, used for	r fuel, vented, etc.)			•	TEST WITNES		
							C.H. Sco	JLT,	· · · · · · · · · · · · · · · · · · ·
35. LIST OF ATTACH	_	D	0 700 1		. '		-		-
Treater, 6. I hereby certify	Separator,	rump Jack,	2-300 ba	rrei tank	S		-11		
I Mercey certal	7 //	na and attached I	MAINETION 19 COM	fwere was coll	ser wa determ	nea Itor	n all avallable re	cords:	•
SIGNED //	selle loo	uncitor	TITLE I	anager o	f Explor	ation	Th A street	Jan	. 26, 1982
					-				

U.S. COVERNMENT PRINTING OFFICE: 1974 - 780-680/VIII-238

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 38, below regarding separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and directional surveys, should be attached bereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Hem 4: If there are no applicable State requirements, locations on Federal and should be described in accordance with Federal requirements. Consult local state or Federal office for specific instructions.

1 400 -

Hem 18: Indicate which characteristics (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Hems 22 and 24: If this well is used as reference (where not otherwise completion), so state in item 24 above the producing from more than one interval some (multiple completion), so state in item 24 above the producing finterval interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Kacks Coment": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 31: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

20/40 sand. sand. 8000 lbs. 100 mesh sand, 70,000 lbs 20/40 2000 lbs. 100 mesh sand, 40,000 lbs 20/40 100 mesh 8000 lbs. 32,000 gal.HCl, 13,500 gal.HCl, 5440-5566, 5000-5010, Frac'ing data:

\$ CONTRACT

38. GROZOGIC MARKERS	704	MAN MALS. BEFTE. TRUB VIET. BEFTE	Uinta Surf1536 1536	Green River Fm	Evacuation Ck. 1536-3810 2274'	Dougals Ck. 3810-5050 1240'	_	5230-5625	5625-5910	tch Fm. 5910-T.D.			-				\ \frac{1}{2} \cdot \frac{1}{2	3,			· ·	
CORRE INTERVALS; AND ALL DAILL-STRN TRATS, INCLUDING AND RECTYLE PRESDURES, AND RECOVERING	DESCRIPTION, CONTENTS, STC.		grained, brn.		fine grained, brn.		ss, fn. gm., bm oil	90 n	G SS		ss, 250 units gas	sh & ss some oil stain	ss, 100 units gas	ss, 100 units gas		-						
ORITY AND CONTENT MED, TIME TOOL OF	BOTTOR		5460	5566	5010	,	3252	3240	3230	3206	3352	3694	3654	3644						,		
MARY OF POROUS ZONES: BHOW ALL IMPORTANT SONES OF PORSITY AND CONTENTS THEREOF; DEPTH INTERVAL TESTED, CURHION URED, TIME TOOL OPEN, FLOWING	101	Primary	5440	5560	2000	Secondary	3242	3230	3216	3200	3334	3690	3648	3630			-	•	•		•	
37. BUMMARY OF POROUS ZONES : EHOW ALL IMPORTANT SONES OF DEPTH INTERVAL TESTED, CUSHIN	FORMATION		Green River							,	-											



4241 State Office Building. Salt Lake City, UT 84114. 801-533-5771

Weed Sundynis to verify serator Change RECEIVED

DOCM 36-64-. 7 an equal opportunity employer

Page _ of _ /

PRODUCING ENTITY ACTION FORM

Operator Name BIVD. Address 2467 City GRAND ZID 81505 TUNETION Utah Account No.

Authorized Signature (303)247-7814 Elfective Date . . Telephone -

DIVISION OF OU GAS & MINIMON CODE


- A Establish new entity for new well(s).
- B Add new well(4) to existing entity.

JUL 2 1984

- Delete well(s) from existing entity.
- D Establish new entity for well(s) being deleted from existing entity.

 E Change well(s) from one entity to another
- existing entity.
- Other. (Specify using attachments if necessary

1984. 2. ---اللح Action Current Ncw Well Location Entity No. Entity No. API No. Code Well Name Scc. County Format . JALOBS - BELCO 32-8 00554 43 047 31274 95 18E GRRV UINATH BELCO 43047 31126 95 18E 00564 Claudia BELCO 34-7 00564 9518E 4304731202 D 43 047 31029 Z H-1 95/8E 00570 95 18E 00570 43 047 3 1127 V 3-1 18 95 18E - 18-1 00570 43 047 31142 / HIKO-BELL 4 95 188 00570 00570 95 18E 43 047.31214 HIKO BELL OVERTHRUST OIL NEW ROYALTY ENTITY IS' Suite 112



STATE OF			
DIVISION OIL,	GAS	AND	MINING


DIVISION OIL, GAS AND MINING	•	11
	S. LEASE DESIGNATION & SERIAL NO. U-15392	, -
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE HAME	
OIL GAS OTHER	EIGHT MILE FLAT	
OVERTHRUST OIL ROYALTY CORP.	8. FARM OR LEASE NAME	
Salt Lake City Utah 84117	9. WELL NO. #11-1 110. FIELD AND POOL, OR WILDCAT	
. LOCATION OF WELL (Report location efeatly and in acrordance with any State requirements. See also space 17 below.) At surface	EIGHT MILE FLAT	
At proposed prod. Zone	SURVEY OR AREA 11, NWSW, 9 S., 18 E.,	S.L.M
4. API NO. 4304731029	Uintah Utah	·
Check Appropriate Box To Indicate Nature of Notice, Report or Notice of Intention to:	SEQUENT REPORT OF:	
[

FRACTURE THEAT MULTI SHOOT OR ACIDIZE ABAN REPAIR WELL CHAN	OR ALTER CASING	water shut-off fracture treatment shooting or acidizing (Other) Shut-in for mo (Note: Report results of mul	tiple completion on Well	<u> </u>
(Other)		Completion or Recompletion	on Report and Log form.)	
APPROX. DATE WORK WILL START		DATE OF COMPLETION		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

* Must be accompanied by a cement verification report.

days prior to December 31, 1989.





			DIVIS: TUE
18. I her	reby certify that the foregoing is true and correct	Trustee-in-Bankruptcy	
(Thi	is space for Federal or State office use)		
	ROVED BY	TITLE	DATE

	ARTMENT NATURAL RESOURCE		6. Lease Designation and Serial Number U-15392
DIV	ISION OF OIL, GAS AND MININ		7. Indian Allottee or Tribe Name
	OTICES AND REPORTS O		
hti - aduddibio utdaarotti tadaan ubiddaa oo o	ill new wells, deepen existing wells, or to rec PUCATION FOR PERMIT— for such propor		8. Unit or Communitization Agreement
Type of Well Oil Gas Well Well	Other (specify)		9. Well Name and Number $11-1$
Name of Operator Cline Oil	and Gas Company		10. API Well Number 43-047-31029
Address of Operator P. O. Box 700816), Tulsa OK 74170-0810	4. Telephone Number 918–481–5837	11. Field and Pool, or Wildcat Eight Mile Flat N. Field
Location of Well			
, coage .	FSL, 661 FWL	County	: Uintah
44,444,111,111	Sec. 11, T9S, R18E		; UTAH
	RIATE BOXES TO INDICATE NA		141,141,141,141
NOTICE (Submit	OF INTENT in Duplicate)		QUENT REPORT ' Original Form Only)
Abandonment	New Construction	Abandonment *	New Construction
Casing Repair	Pull or Alter Casing	Casing Repair	Pull or Alter Casing
Change of Plans	☐ Recompletion	Change of Plans	Shoot or Acidize
Conversion to Injection	Shoot or Acidize	Conversion to Injection	☐ Vent or Flare
Fracture Treat	□ Vent or Flare	Fracture Treat	☐ Water Shut-Off
Multiple Completion			f Operator
Other		Effective	e Date: 10/14/41
		Date of Work Completion	
Approximate Date Work Will St	art	Report results of Multiple Comple	tions and Recompletions to different reservoirs
,		on WELL COMPLETION OR REC	

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)


Must be accompanied by a cement verification report.

OCT 2 4 1991

DIVISION OF OIL GAS & MINING

	1.1	Λ Λ				
14. I hereby certify that the foregoing is true and correct	1,1	V. M 130.				10/14/91
Name & Signature W. Geoffrey Cline		Mux veg \	UrTitle	President	Date	07/19/291
(State Use Only)						

DESIGNATION OF AGENT OR OPERATOR - FORM 5



The undersigned is, on record, the holder of oil and gas lease	DIVISION OF OIL GAS & MINING
LEASE NAME:Eight Mile Flat Field	OIL CHO & MINING
LEASE NUMBER: (Listed below)	
and hereby designates	
NAME: Cline Oil and Gas Company	
ADDRESS:P. O. Box 700810. Tulsa OK 74170-0810	
as his agent/operator, with full authority to act in his behalf in the terms of the lease and regulations applicable thereto and on a Director or Authorized Agent may serve written or oral instruction compliance with the Oil and Gas Conservation General Rules and Pro the Board of Oil, Gas and Mining of the State of Utah with respec- acreage to which this designation is applicable):	whom the Division on the sin securing occideral Rules of
Lease No. Location U-15392 Sec. 11, T 9 S, R 18 E U-16539 Sec. 3, T 9 S, R 18 E U-16540 Sec. 7, T 9 S, R 18 E und Sec. 8, T 9 S, R 18 E U-17424 Sec. 4, T 9 S, R 18 E U-17036 Sec. 10, T 9 S, R 18 E U-39714 Sec. 18, T 9 S, R 18 E	nty, Utah
It is understood that this designation of agent/operator does not lessee of responsibility for compliance with the terms of the lea and Gas Conservation General Rules and Procedural Rules of the Bo and Mining of the State of Utah. It is also understood that this agent or operator does not constitute an assignment of any intere	ard of Oil, Gas designation of
In case of default on the part of the designated agent/operator, make full and prompt compliance with all rules, lease terms or or of Oil, Gas and Mining of the State of Utah or its authorized rep	gers of the board
The lessee agrees promptly to notify the Division Director or Autany change in this designation.	
Effective Date of Designation 10-14-91 By: Some Assert Aitle: President Address Subs 1250 525/ DTC Parkum)	Born Far
Company CHP TH Lindel Partner Aito President	ure)
Address Sub 1200 525/ DTC Packury Phone: 303-796.	2600

MELVIN E. LESLIE

ATTORNEY AT LAW
10 WEST 300 SOUTH STREET, SUITE 703
SALT LAKE CITY, UTAH 84101

November 29, 1991

Ms. Lisha Romero Utah Division of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah

Re: Overthrust Oil Royalty Corp.

Dear Ms. Romero:

In accordance with our recent telephone conversations regarding the change of operatorship from the above-named Corporation to Cline Oil and Gas Company as regards wells in the Eight Mile Flat Area, I am enclosing the original copy of seven different Sundry Notices (Form 9) for filing with your Division. It is my understanding that Cline Oil and Gas Company has previously filed similar Sundry Notices, so the present filing should complete the documentation as to change of operatorship. If not, kindly advise me.

Very truly yours, Malun & Zeslie

Melvin E. Leslie

MEL/bjw Enclosures

DEC 0 2 1991

TELEPHONE: (801) 364-4442

DIVISION OF OIL GAS & MINIMG

rm 9	STATE OF UTAH	* - C - C	
* DEPA	RTMENT OF MATURAL RESOURCE		6. Lease Designation and Serial Number
DIVI	SION OF OMEGAS AND MININ	G 🖳	
			7. Indian Allottee or Tribe Name
OUNDRYN	TIGES AND DEPORTS OF	NIMELIC	
	TICES AND REPORTS OF the wells, deepen existing wells, of to rees		8. Unit or Communitization Agreement
	LICATION FOR PERMIT—for such propos		891019635A
Upe AFF	DDATION COLL CINE.		(Entity 10970)
Type of Well			9. Well Name and Number
Oil Gas Well	Other (specify)		<i>#</i> 11-1
Name of Operator	_		10. API Well Number
Overthrust Oil Royalty	Corp.		4304731029
Address of Operator 2046 East	4800 South, Suite 110	4. Telephone Number	11. Field and Pool, or Wildcat
Salt Lake City, Utah	84117	(801) 277-5360	Eight Mile Flat
Location of Well			77 1
Footage :	5	County	: Uintah
	f Section 11, T.9 S., R.		: UTAH
	HATE BOXES TO INDICATE NA	<u> </u>	
	OF INTENT Duplicate)		QUENT REPORT Original Form Only)
☐ Abandonment	□ New Construction	Abandonment *	
Casing Repair	Pull or Alter Casing	Casing Repair	Pull or Alter Casing
Casing Repair Change of Plans	Recompletion	Change of Plans	Shoot or Acidize
Conversion to Injection	Shoot or Acidize	Conversion to Injection	☐ Vent or Flare
Fracture Treat	Vent or Flare	Fracture Treat	Water Shut-Off
Multiple Completion	☐ Water Shut-Off	X Other Change of	Operator
Other			
		Date of Work Completion _	*
Approximate Date Work Will Sta	rt		
		n WELL COMPLETION OR REC	tions and Recompletions to different reservoirs COMPLETION AND LOG form.
•		Must be accompanied by a re-	ment verification report

13, DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective as of October 1, 1991, the Operator of this Well was changed from that specified in Paragraphs 2 and 3 above to the following: Cline Oil and Gas Company, P.O. Box 700810, Tulsa, Oklahoma 74170.

DEC 0 2 1991

DIVISION OF OIL GAS & MINING

	· · · · · · · · · · · · · · · · · · ·		
14. I hereby certify that the foregoing is true and correct			
Name & Signature Tank Melsin	Trustee in Bankruptcy	November 29,	19
(State Use Only)			

tach all documentation received by the division regarding this change. itial each listed item when completed. Write N/A if item is not applicable.	2-DT8275 3-VLC
Change of Operator (well sold) Designation of Operator Designation of Operator Designation of Operator Designation of Operator	4-RJF 5-RWM 6-ADA
ne operator of the well(s) listed below has changed (EFFECTIVE DATE: 10-14-91)
W. GEOFFREY CLINE, PRES. MR. LESLIE	O SOUTH CITY, UT 84101 , ATTY 1) 364-4442
*EIGHT MILE FLAT UNIT/ALL WELLS call(S) (attach additional page if needed):	
Name *BELCO #7-1/GRRV API: 43-047-31126 Entity: 10969 Sec 7 Twp 9S Rng 18E Name *JACOBS-BELCO 32-8/GRRV API: 43-047-31274 Entity: 554 Sec 8 Twp 9S Rng 18E API: 43-047-31214 Entity: 10973 Sec10 Twp 9S Rng 18E	Lease Type: U-16539 Lease Type: U-17424 Lease Type: U-16540 Lease Type: U-16540 Lease Type: U-16540 Lease Type: U-17036 Lease Type: U-15392 U-39714
PERATOR CHANGE DOCUMENTATION	
1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been recei operator (Attach to this form). (Reg. 10-31-91) (Reg. 11-21-91) (Reg. 11-21-91)	
12. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received f (Attach to this form). (جودال اهـ عليه المــــــــــــــــــــــــــــــــــــ	rom <u>new</u> operator
4 3. The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (yyes, show company file number: #153590	res/no) If
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regard (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and Indichanges should take place prior to completion of steps 5 through 9 below.	an well operator
Lefs. Changes have been entered in the Oil and Gas Information System (Wang/IE) listed above. (11-21-91)	BM) for each well
6. Cardex file has been updated for each well listed above. (11-21-91)	
(11-21-91) Nell file labels have been updated for each well listed above. (11-21-91)	
8. Changes have been included on the monthly "Operator, Address, and Accou for distribution to State Lands and the Tax Commission. (11-21-91)	
9. A folder has been set up for the Operator Change file, and a copy of the placed there for reference during routing and processing of the original	nis page has been documents.

Routing:

PERATOR CHANGE HORKSHEET

\TOR CHA	NGE HORKSHEET (CONTINUED) Initia ch item when completed. Write N/A i em is not applicable.
For	vie R615-8-7) Entity assignments have been reviewed for all wells listed above. Were tity changes made? (yes/no) (If entity assignments were changed, attach copies of the first of the second sec
A (Ru pro 1/A 2. A c 1/A. The	FICATION (Fee wells only) The new operator of any fee lease well listed above has furnished a oper bond. Topy of this form has been placed in the new and former operators' bond files. The former operator has requested a release of liability from their bond (yes/no) The day's date
/4 1. (Ru not 7/2 per 2/4/4/ not 4 Cop	EREST OWNER NOTIFICATION RESPONSIBILITY The R615-2-10 The former operator/lessee of any fee lease well listed above has been defined by letter dated
ING イ、All	attachments to this form have been microfilmed. Date: <u>Cesember 16</u> 19 <u>91</u> .
NG Cop	oies of all attachments to this form have been filed in each well file. e original of this form and the original attachments have been filed in the Operatoringe file.
HENTS 11106	Bfm/s.f. Cline Oil and Eas Company was designated operator of the 'Eight Mile Flat Unit' eff. 10-29-91. " All wells are now operated by Cline Oil & Gas Company."
/34-35	

F UTAH

)
	6. Lease Designation and Serial Number
- 1	TT 1 E 2 O 2

DIVISION OF OIL, GAS AND MININ	U-15392	
SUNDRY NOTICES AND REPORTS O	7. Indian Allottee or Tribe Name	
Do not use this form for proposals to drill new wells, deepen existing wells, or to reci		8. Unit or Communitization Agreement
Use APPLICATION FOR PERMIT— for such propos	als	
i. Type of Well Cil Gas Other (specify) Well Well		9. Well Name and Number 11-1
2. Name of Operator		10. API Well Number
Cline Oil and Gas Company		43-047-31029
3. Address of Operator P. O. Box 700810	4. Telephone Number 918–481–5837	11. Field and Pool, or Wildcat Eight Mile Flat N. Field
5. Location of Well	,910-401-3037	Eight Mile Flat N. Fleid
Footage : 1979 FSL, 661 FWL	County	: Uintah
QQ. Sec. T. R. M. : NW SW Sec. 11, T9S, R18E		: UTAH
12. CHECK APPROPRIATE BOXES TO INDICATE NA	NTURE OF NOTICE, REPO	ORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSE (Submit	QUENT REPORT Original Form Only)
☐ Abandonment ☐ New Construction	Abandonment *	New Construction
Casing Repair Pull or Alter Casing	Casing Repair	Pull or Alter Casing
Change of Plans Recompletion	Change of Plans	Shoot or Acidize
Conversion to Injection Shoot or Acidize	Conversion to Injection	Vent or Flare
☐ Fracture Treat ☐ Vent or Flare ☐ Multiple Completion ☐ Water Shut-Off	Fracture Treat	Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off ☐ Other	☑ Other <u>Annual Sta</u>	itus Report
	Date of Work Completion _	
Approximate Date Work Will Start	Report results of Multiple Comple	tions and Recompletions to different reservoirs
	on WELL COMPLETION OR REC * Must be accompanied by a cer	OMPLETION AND LOG form.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin	nent details, and give pertinent dates	. If well is directionally drilled, give subsurface
locations and measured and true vertical depths for all markers and zones pertin	nent to this work.)	
This well was SHUT IN when we acquired the op-	perations of this fie	eld in mid October 1991.
We have been upgrading the property and expec	t to place this well	back into production
in the next six months.		
		FEB 1 4 1992
		DWISONOS
) . I		OIL GAB & MINSING
14. I hereby certify that the foregoing is true and correct Name & Signature W. Geoff	rey Cline Title Pre	sident Date 02/12/92
The state of the s	TEY CITHE FIE	.SIGCITC 540 02/12/92

Name & Signature (State Use Only)

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

AUG - 9 1994

FORM APPROVED
Budget Bureau No. 1004-0135

	idget Bureau No. 1004-0135
	Expires: March 31, 1993
case	Designation and Secol No.

BUKEAU OI	LAND MANAGEMENT	5. Exast Designation and Serial 140
SUNDRY NOTICE Do not use this form for proposals to Use "APPLICATION F	6. If Indian, Allottee or Tribe Name	
SUBM	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
I. Type of Well		1
Oil Gas Other 2. Name of Operator		8. Well Name and No.
Rocky Mountain Operating Com	na ny	9. API Well No.
3. Address and Telephone No.	perily	1
3281 Cherryridge Road Engle	wood, Colorado 80110	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey	Description)	Eight Mile Flat Area 11. County or Parish, State Uintah County, Utah
12. CHECK APPROPRIATE BO	K(s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
,	Other Change of Operator	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
1. Self-certification statem 1988, designation of oper the 100% record title hol statement to the appropri to operate upon the lease "Please be advised that R of the wells as shown on	ent. Under the Federal regulations in eator forms are no longer required when der. An operator is now required to subset Bureau office stating that said openold premises. Said notification may be ocky Mountain Operating Company is consexHIBIT "A" and is responsible under trations conducted upon the leased lands	the operator is not mit a self-certification rator has the right in the following format. idered to be the operator he terms and conditions
14. I hereby certify that the foregoing is tripe and porfect Signed State State (Secure)	TitlePRESIDENT	Date JUNE 15, 1994
(This space for Federal or State office use)		_
Approved by Conditions of approval, if any:	Tide	Date

ATTACHMENT 1.

EIGHT MILE FLAT UNIT WELLS

GREEN RIVER A PARTICIPATING AREA

1	1-1	NWSW	11 9S	18E	osi	UTU15392
GREEN RI	IVER B PAR	TICIPATII	NG AREA			
•	8-1 7-1	NWNW SENW	18 9S 7 9S	18E 18E	POW POW	UTU39714 UTU16540
GREEN RI	IVER C PAR	TICIPATI	NG AREA			
4	-1	SESW	4 95	18E	POW	UTU17424
GREEN RI	IVER D PAR	TICIPATI	NG AREA			
3	2-13	SWNE	13 9S	18E	OSI	UTU18048
GREEN RI	VER E PART	ricipati i	NG AREA			

THE FOLLOWING WELLS WERE DETERMINED NON PAYING AND SUBSEQUENTLY CONTRACTED FROM THE EIGHT MILE FLAT UNIT AREA. THEY SHOULD NOT BE REPORTED ON THE PLAN OF DEVELOPMENT IN THE FUTURE.

3-1	SENE	3 9S	18E	TA	UTU16539
32-8	SWNE	8 9S	18E	POW	UTU16540*CLI
34-7	SWSE	7 9S	18E	POW	UTU16540*CLI
22-10	SENW	10 9S	18E	OSI	UTU17036
11-8	NWNW	8 9S	18E	OSI	UTU16540
13-8	NWSW	8 9S	18E	OSI	UTU16540

34-8 SWSE 8 9S 18E OSI UTU16540

APRIL 1 1994

Authorized Officer Bureau of Land Management

> Eight Mile Re:

Unit Flat

Uintah County, Utah

Gentiemen:

Enclosed for your consideration and approval, are four (4) copies of Resignation of Unit Operator and Designation of Successor Operator for the Fight Mile Flat Unit Area. The enclosed instrument has been executed by more than the required percentage of working Eight Mile interest owners pursuant to the Flat Unit and Unit Operating Agreements. All Eight Mile operations within the Flat Unit Agreement will be covered by bond no. 0842

Sincerety,

Edward Neibauer

Enclosures

RESIGNATION OF UNIT OPERATOR

Eight Mile Flat Unit Area

County of Uintah

State of Utah

Unit Agreement No.14-08-0001-19635

Under and pursuant to the provisions of Section 5 of the Unit Agreement for the Eight Mile

Development and Operation of the Flat Unit Area, Wintah County, Wtah

Cline Oil and Gas Company the designated Unit Operator under said Unit Agreement, does hereover resign as Unit Operator, effective upon the selection and approval of a successor Unit Operator.

EXECUTED with effect as a tonesaid the 1 hay of April, 1994

ATTEST:

DESIGNATION OF SUCCESSOR UNIT OPERATOR

Eight Mile Flat Unit Area

County of Uintah

State of Utah

Unit Agreement No. 14-08-0001-19635

THIS INDENTURE, dated as of the <u>1</u> day of <u>April</u>, 1994, by and between Cline Oil and Gas Company, hereinafter designated as "First Party," and the owners of unitized working interests, hereinafter designated as "Second Parties,"

WITNESSETH:

WHEREAS, under the provisions of the Act of February 25, 1920, 41 Stat. 437, 30 U.S.C. Secs. 181, et seq., as amended by the Act of August 8, 1946, 60 Stat. 950, the Secretary of the Interior, on the 29 day of October 1991, approved a Unit Agreement for Cline Oil and Gas the Flat Unit Area, wherein Company is designated as Unit Operator, and WHEREAS said, Company has resigned as such Operator and the designation of a successor Unit Operator is now required pursuant to the terms thereon; and

WHEREAS the First Party has been and hereby is designated by Second Parties as Unit Operator, and said First Party desires to assume all the rights, duties and obligations of Unit Operator under the said Unit Agreement:

IN WITNESS WHEREOF, the parties hereto have executed this instrument as of the date hereinabove set forth.

SECOND PARTY

Cline Oil and Gas Company

W. Geoffrey Cline, President

Helen M. Cline, Secretary

FIRST PARTY

ROCKY MOUNTAIN OPERATING COMPANY, INC
BY Minul A Execution Date: JUNE 15,1994
BYExecution Date:
BYExecution Date:
EXecution Date:
BYExecution Date:

CORPORATE ACKNOWLEDGEMENT

STATE OF <u>New Mesons</u>)
COUNTY OF SANTA FO
The foregoing instrument was acknowledged before me this 3rdgay of June 19 94 by W. Geoffrey Clin&resident, and by Helen M. Cline Secretary of Cline Oil and, a corporation. Gas Company WITNESS my hand and official seal.
My Commission Expires: 10-18-91 Notary Public
Place of Residence:
INDIVIDUAL ACKNOWLEDGEMENT
STATE OF
On theday of
:VITNESS my hand and official seal.
My Commission Expires:
Notary Public
Place of Residence:

April 1 1994

Authorized Officer
Bureau of Land Management

Eight Mile
Re: Flat Unit
Uintah County, Utah

Gentlemen:

Enclosed for your consideration and approval, are four (4) copies of Resignation of Unit Eight Mile

Operator and Designation of Successor Operator for the Flat Unit Area.

Rocky Mountain Operating Co., as the designated successor operator under the Eight Mile Flat Unit Agreement, hereby certifies that the requisite approvals of the current working interest owners in the agreement have been obtained to satisfy the requirements for selection of a successor operator as set forth under the terms and provisions of the agreement. All operations within Eight Mile Unit Agreement will be covered by bond no. 0842

Sincereiv.

Edward Neibauer

Enclosures

EIGHT MILE FLAT UNIT WELLS

GREEN RIVER A PARTICIPATING AREA

	11-1	NWSW	11 9S	18E	osi	UTU15392
GREEN	RIVER B PAR	TICIPATI	NG AREA			
	18-1 7-1	NWNW SENW	18 9S 7 9S	18E 18E	POW POW	UTU39714 UTU16540
GREEN	RIVER C PAR	TICIPATI	NG AREA			
	4-1	SESW	4 9S	18E	POW	UTU17424
GREEN	RIVER D PAR	TICIPATI	NG AREA			
	32-13	SWNE	13 95	18E	OSI	UTU18048
GREEN	RIVER E PAR	TICIPATIN	NG AREA			
	34-8	SWSE	8 9S	18E	OSI	UTU16540

United States Department of the Interior

BUREAU OF LAND MANAGEMENT



Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145 0155

IN REPLY REFER TO UT-922

October 19, 1994

Rocky Mountain Operating Company, Inc. 3281 Cherryridge Road Englewood, Colorado 80110

RE:

Eight Mile Flat Unit Uintah County, Utah

Gentlemen:

We received an indenture whereby Cline Oil and Gas Company resigned as Unit Operator and Rocky Mountain Operating Company, Inc. was designated as Successor Unit Operator for the Eight Mile Flat Unit, Uintah County, Utah.

The instrument is hereby accepted effective October 19, 1994. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Eight Mile Flat Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0906 will be used to cover all operations within the Eight Mile Flat Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc: District Manager - Vernal (w/enclosure)

Division of Oil, Gas & Mining

Division of Lands and Mineral Operations File - Eight Mile Flat Unit (w/enclosure) MMS - Data Management Division

Agr. Sec. Chron

Fluid Chron

OCT 20



Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter 801-359-3940 (Fax)
Division Director 801-538-5319 (TDD)

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax)

October 28, 1994

Edward Neibauer Rocky Mountain Operating Company, Inc. 3281 Cherryridge Road Englewood, Colorado 80110

Re:

Cline Oil and Gas Company & S O Utah to Rocky Mountain Operating Company, Inc.

Dear Mr. Neibauer:

In reviewing the operator change for the referenced companies, it was determined that your company is not currently registered with the Utah Department of Commerce. This letter is written to advise you of your responsibility to register your company with the state prior to conducting business within Utah. This can be accomplished by contacting:

> Department of Commerce Division of Corporations 160 East 300 South Salt Lake City, Utah 84111 (801) 530-4849

> > Sincerely,

Lisha Cordova Admin. Analyst

Is lordova

cc:

Dept. of Commerce D.T. Staley R.J. Firth Operator File(s) Correspondence File/ldc



Page No. 10/19/94

1

WELL STATUS REPORTS UTAH STATE OFFICE

INSPECTION ITEM	API NO.	NUMBE		SEC	TWN	RNG	WELL STATUS	LEASE NAME	OPERATOR
** INSPECTION ITEM 891019 8910196350	6350 ~430473118100s1		MILE FLAT		C 9S	18E	POW	UTU17424	CLINE OIL + GAS COMPANY
** INSPECTION ITEM 891019 891019635A	635A _: 4304 73 102900s1		MILE FLAT NWSW			18E	OSI	บาบ15392	CLINE OIL + GAS COMPANY
** INSPECTION ITEM 891019 891019635B 891019635B	6358 , 430473114200s1 , 430473112600s1	18-1	MILE FLAT NWNW SENW	18		18E 18E	OSI TA	บ า บ39714 บาบ16540	CLINE OIL + GAS COMPANY CLINE OIL + GAS COMPANY
** INSPECTION ITEM 891019 891019635D	6350 .v.430473127700s1		MILE FLAT SWNE			18E	TA	UTU18048	CLINE OIL + GAS COMPANY
** INSPECTION ITEM 891019 891019635E	635E -/430473154700s1		MILE FLAT SWSE		E 9s	18E	OSI	UTU16540	CLINE OIL + GAS COMPANY

OPERATOR CHANGE HORKSHEET	Rout ing:
Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.	2-LWP 7-PL 3-BT\$ 8-SJ V 4-VLC. 9-F1LE
XKX Change of Operator (well sold) Designation of Agent Designation of Operator Designation of Agent Operator Name Change Only	5-RJF 6-LWP
The operator of the well(s) listed below has changed (EFFECTIVE DATE: $4-1-9$	<u>4</u>)
EDWARD NEIBAUER phone (303) 762-0922 phone (
Well(s) (attach additional page if needed): *EIGHT MILE FLAT UNIT	
Name *18-1/GRRV API: 43-047-31142 Entity: 10969 Sec 18 Twp 9S Rng 1 Name *11-1/GRRV API: 43-047-31029 Entity: 10970 Sec 11 Twp 9S Rng 1 Name *HIKO BELL U 4-1/GRRV API: 43-047-31181 Entity: 10971 Sec 4 Twp 9S Rng 1 Name: JACOBS-BELCO 32-8/GRRV API: 43-047-31274 Entity: 554 Sec 8 Twp 9S Rng 1 Name: BELCO 34-7/GRRV API: 43-047-31202 Entity: 564 Sec 7 Twp 9S Rng 1 Name: 3-1/GRRV API: 43-047-31127 Entity: 570 Sec 3 Twp 9S Rng 1	8E Lease Type <u>U16540</u> 8E Lease Type <u>U15392</u> 8E Lease Type <u>U17424</u> 8E Lease Type <u>U16540</u> 8E Lease Type <u>U16540</u> 8E Lease Type <u>U16530</u> 8E Lease Type <u>U16530</u>
OPERATOR CHANGE DOCUMENTATION	
N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been recoperator (Attach to this form). (Peg. 8-4-94) (* See Resignation of Unit Open in other	ceived from <u>former</u>
(Attach to this form). (Lig. 3-4-94) (Red. 8-9-94)	
3. The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? yes, show company file number: (8-3-94) (10-28-94) If mailed)	(yes(no) 1f
4. (For Indian and Federal Hells ONLY) The BLM has been contacted reg (attach Telephone Documentation Form to this report). Make note comments section of this form. Management review of Federal and In changes should take place prior to completion of steps 5 through 9 below.	of BLM status in dian well operator
(WP 5. Changes have been entered in the Oil and Gas Information System (Wang, listed above. 10-21.94	IBM) for each well
6. Cardex file has been updated for each well listed above. 10-21. 94	
7. Well file labels have been updated for each well listed above. الرواي الميال عليه الميال	У
8. Changes have been included on the monthly "Operator, Address, and Accommodistribution to State Lands and the Tax Commission.	•
9. A folder has been set up for the Operator Change file, and a copy of placed there for reference during routing and processing of the original	this page has been al documents.

DPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH *-
<u> </u>	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
N/A 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	RIFICATION (Fee wells only)
N/A/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	NTEREST OWNER NOTIFICATION RESPONSIBILITY
~ \	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
<u>ч/</u> р 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMIN	
1 1.	All attachments to this form have been microfilmed. Date: November 4 1994.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
2.	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMEN	TS
941019	6 bn /5 9. April "Eight mile Flat Unit" operator eff. 10-19-94.
	Btm/Vernal april "liese hase walle".

WE71/34 35

DIVISION OF OIL, GAS AND MINING

S 6. Wirdlan, Alottee or Tribe Name:
andoned wells. 891019635A
8. Well Name and Number: Federal #11-1
9. API Well Number: 43-047-31029
3)850-7921 Eight Mile Flat Uni
county: Uintah State: Utah
NOTICE, REPORT, OR OTHER DATA
SUBSEQUENT REPORT (Submit Original Form Only)
Repair
shut-in due to low oil be electrified to lower President Oute: 2-10-95

(See Instructions on Reverse Side)

E (OF UTAH	
DIVISION OF OIL,	GAS AND	MINING

SUNDRY NOTICES AND REPORTS ON WELLS Do not were this form for proposeds to diffuse westle, deepen entering with, or to receive phopped and demodified wells. 1. Type of West. It Type of West				5. Lease Designation and Serial Number:
SUNDRY NOTICES AND REPORTS ON WELLS Co not use this term for proposable to diff in the wills, deepen existing values at the remainer plagged and abandoned wells. 1. Type of Verill OIL® GAS OTHER: 2. Management Number:				
Const use that ten's proposable to different restrict, deepen activities, which is observed to the APPLACATION FOR PRIMERY TO POILLAND ACTIVITIES (ASC) OTHER: Linyse of West: OIL S GAS OTHER: Linyse of West:	SUNDRY	NOTICES AND REPORTS	ON WELLS	6. If Indian, Allottee or Tribe Name:
2. Name of Operator. 2. Name of Operator. 2. Name of Operator. 3. Address and Telephone Number: 6131 S. FORESt Ct., Littleton CO 80121 (303)850-7921 3. Address and Telephone Number: 6131 S. FORESt Ct., Littleton CO 80121 (303)850-7921 3. Address and Telephone Number: 6131 S. FORESt Ct., Littleton CO 80121 (303)850-7921 3. Address and Telephone Number: 6131 S. FORESt Ct., Littleton CO 80121 (303)850-7921 4. Address and Telephone Number: 6131 S. FORESt Ct., Littleton CO 80121 (303)850-7921 4. Address and Telephone Number: 6131 S. FORESt Ct., Littleton CO 80121 (303)850-7921 4. Address and Telephone Number: 6131 S. FORESt Ct., Littleton CO 80121 (303)850-7921 4. Address and Telephone Number: 6132 S. FORESt Ct., Littleton CO 80121 (303)850-7921 5. Address and Telephone Number: 6132 S. FORESt Ct., Littleton CO 80121 (303)850-7921 5. Address and Telephone Number: 6132 S. FORESt Ct., Littleton CO 80121 (303)850-7921 5. Address and Telephone Number: 6132 S. FORESt Ct., Littleton CO 80121 (303)850-7921 5. Address and Telephone Number: 6132 S. FORESt Ct., Littleton CO 80121 (303)850-7921 5. Address and Telephone Number: 6132 S. FORESt Ct., Littleton College: 6132 S	Do not use this form for prope Use APPL	peals to drill new wells, deepen existing wells, or to reente JCATION FOR PERMIT TO DRILL OR DEEPEN form for su	r plugged and abandoned wells. th proposals.	1 · · · · · · · · · · · · · · · · · · ·
Abardonare No. 1979 FSL, 661 FWL GO. Sec.T.R.M. NW SE Sec. 11, T9S, R18E TO CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA NOTICE OF INTENT (Submit in Dupletely) Abandonment Dealing Repair Dealing Repair Dealing Report Dealing Repair Dealing Report Dealing Repor	1. Type of Well: OIL 🔼 GAS	OTHER:		
**Abandonment Delico Pilans	Operating Company, Inc		e, API Well Number: #43-047-31029	
Footagen: 1979 FSL, 661 FWL QQ. Sec.T.R.M. NW SE Sec. 11, T9S, R18E 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA NOTICE OF INTENT SUBSQUENT REPORT (Submit to Pupil cot After Casing Abandonment New Construction Abandonment New Construction Abandonment New Construction Abandonment Pull or After Casing Casing Repair Pull or After Casing Casing Repair Pull or After Casing Casing Repair Pull or After Casing Canversion to Injection Vert or Flare Fracture Treat Vent or Flare Fracture Treat Water Shut-Off XXOther Annual Status Report	3. Address and Telephone Number: 6131 S. Forest (Ct., Littleton CO 8012	21 (303)850-7921	
NOTICE OF INTENT (Submit in Duplicate) Abandonment	Footages: 1979 FSL			-
NOTICE OF INTENT (Submit in Duplicate) Abandonment	11. CHECK APPRO	OPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	RT, OR OTHER DATA
Casing Repair	NOTI	CE OF INTENT	SUBSE	QUENT REPORT
prices and waiting on the field to be electrified to lower operating costs. 13. Februard Noihauer (2-8-96)	☐ Casing Repair ☐ Change of Plans ☐ Conversion to Injection ☐ Fracture Treat ☐ Multiple Completion ☐ Other ☐ Approximate date work will stand	Pull or Alter Casing Recompletion Shoot or Acidize Vent or Flare Water Shut-Off	☐ Casing Repair ☐ Change of Plans ☐ Conversion to Injection ☐ Fracture Treat XXOther Annual Stat Date of work completion ☐ Report results of Multiple Completions COMPLETION OR RECOMPLETION AND	Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off US Report and Recompletions to different reservoirs on WELL. D LOG form.
Name & Signature: Edward Neibauer West Title: President Date: 2-8-96	pr op	ices and waiting on the		ctrified to lower
	Name & Signature: Edward	Neibauer Clear 4	Title: <u>President</u>	- Date: 2-8-96

STATE OF UTAH DIVISION OF L, GAS AND MINING

			UTU-15392
SUNDRY N	OTICES AND REPORTS C	N WELLS	6. If Indian, Allottee or Tribe Name:
Bo and the Market feet excess to	is to drill new wells, deepen existing wells, or to reenter TION FOR PERMIT TO DRILL OR DEEPEN form for suc	plugged and abandoned wells.	7. Unit Agreement Name: #891019635A
1. Type of Well: OIL X GAS	OTHER:	T proposed	a. Well Name and Number: Federal #11-1
2. Name of Operator:	perating Co., Inc.		9. API Well Number: #43-047-31029
3. Address and Telephone Number:	ct., Littleton CO 801	21 (303)850-7921	10. Field and Pool, or Wildcel: Eight Mile Flat
4. Location of Well	, 661 FWL		County: Uintah
	ec. 11, T9S, R18E		sam: Utah
11. CHECK APPROI	PRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	RT, OR OTHER DATA
NOTICE	E OF INTENT It in Duplicate)	SUBSEC	QUENT REPORT Original Form Only)
☐ Abandonment	☐ New Construction	Abandonment •	☐ New Construction
Casing Repair	☐ Pull or Alter Casing	☐ Casing Repair	Pull or Alter Casing
Change of Plans	Recompletion	☐ Change of Plans	☐ Shoot or Acidize
Conversion to Injection	☐ Shoot or Acidize	Conversion to Injection	☐ Vent or Flare
	☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off
Fracture Treat	☐ Water Shut-Off	☑ Other Annual Stat	tus Report
Multiple Completion	_		
Other		Date of work completion	
ما المراجعة		· · · · · · · · · · · · · · · · · · ·	and Recompletions to different reservoirs on WELL
Approximate date work will start		COMPLETION OR RECOMPLETION AND	D LQG form.
		Must be accompanied by a cement verification.	ication report.
12. DESCRIBE PROPOSED OH COMPLETEL vertical depths for all markers and zones	OPERATIONS (Clearly state all pertinent details, and go pertinent to this work.) ANNUAL STATUS REPORT Waiting on the field operating costs and flood program.	: Temporarily sho	ût-in due to d to lower
Name & Signature: Betty No. (This space for State use only)	eibauer Betty Neibaur	nue: Secreta:	Pole: 2-4-97 CEIVE
(12/92)	(See Instruction	one on Reverse Side)	DEM. OF OIL, GAS & MENTERS

ATE OF UTAH DIVISION OF OIL, GAS AND MINING

			5. Lease Designation and Serial Number:
SUNDRY	NOTICES AND REPORTS	ON WELLS	6. If Indian, Allottee or Tribe Name:
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPUCATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.			7. Unit Agreement Name: #891019635A
1. Type of Well: OIL X GAS			8. Well Name and Number: Federal #11-1
2. Name of Operator: Rocky Mountain (perating Co., Inc.		9. API Well Number: #43-047-31029
3. Address and Telephone Number:	Ct., Littleton CO 8012	21 (303)850-7921	10. Field and Pool, or Wildcat: Eight Mile Flat
4. Location of Well Footages: 1979 FS	GL, 661 FWL		County: Uintah
OQ, Sec.,T.,R.,M.: NW SE S	Sec. 11, T9S, R18E		State: Utah
11. CHECK APPRO	OPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	RT, OR OTHER DATA
	CE OF INTENT omit in Duplicate)	1	QUENT REPORT Original Form Only)
☐ Abandonment ☐ Casing Repair ☐ Change of Plans ☐ Conversion to Injection ☐ Fracture Treat ☐ Multiple Completion ☐ Other ☐ Approximate date work will start		□ Abandonment * □ Casing Repair □ Change of Plans □ Conversion to Injection □ Fracture Treat ☒ OtherAnnual _ Sta Date of work completion Report results of Multiple Completions COMPLETION OR RECOMPLETION AND * Must be accompanied by a cement verification.	and Recompletions to different reservoirs on WELL. D LOG form.
DESCRIBE PROPOSED OR COMPLETE vertical depths for all markers and zone	EDOPERATIONS (Clearly state all pertinent details, and g a pertinent to this work) ANNUAL STATUS REPO to low oil prices, of a water flood p	RT: Temporarily Also on the imp	shut-in due
13. Name & Signature; Betty N	Neibauer Betty Neibau	Title: Secreta	ry Date: 2-9-98
(This space for State use only)			TROBING 17 1998 17 199

(See Instructions on Reverse Side)

DIV. OF GIL, GAS & HALL

(12\92)

STATE OF UTAH					
DIVISION OF	GAS AND MINING				

	•		5. Lease Designation and Serial Number: UTU-153923	
SUNDR	Y NOTICES AND REPORTS C	N WELLS	6. If Indian, Aliotses or Tribe Name:	
Do not use this form for pro	7. Unit Agreement Name: #891019635A			
	PUCATION FOR PERMIT TO DRILL ON DEEPEN form for suc		s. Well Name and Number:	
. Type of Well: OIL 🔀 GAS	OTHER:	<u>.</u>	Federal #11-1	
Name of Operator: Rocky Mountain	Operating Company, Inc.		#43-047-31029	
Address and Telephone Number: 6111 S. Forest	Ct., Littleton CO 8012	21 303-850-7921	10. Field and Pool, or Wildcel: Eight Mile Flat	
Location of Well 1979 F:	SL, 661 FWL		county: Uintah	
_	Sec. 11, T9S, R18E		State: Utah	
	ROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REP	ORT, OR OTHER DATA	
== "	TICE OF INTENT Submit in Duplicate)	1	EQUENT REPORT II Original Form Only)	
•	☐ New Construction	☐ Abandonment *	☐ New Construction	
☐ Abandonment ☐ Casing Repair	Pull or Alter Casing	☐ Casing Repair	Pull or Alter Casing	
_ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize	
Conversion to Injection	Shoot or Acidize	Conversion to Injection	☐ Vent or Flare	
-	☐ Vent or Flare	Fracture Treat	☐ Water Shut-Off	
Fracture Treat	☐ Water Shut-Off	Other Annual Sta		
Multiple Completion	T Water Street-Cit			
] Other		Bata of work as maleting		
		Date of work completion		
Approximate date work will st	art	Report results of Multiple Completions and Recompletions to different reservoirs of COMPLETION OR RECOMPLETION AND LOG form.		
		* Must be accompanied by a cement ve	rification report.	
vertical depths for all markers and 2	ANNUAL STATUS REPORT: due to low oil prices		ıt-in	
13. Bett Name & Signature:	y Neibauer Bety Neib auc	Tidle: Agent	Dela: 2-8-99	
			A Section of the sect	

(See Instructions on Reverse Side)

S <u>TA</u> TE OF UTAH					
DIVISION	0	GAS	AND	MINING	

DIV	IDION OF THE PARTY		5, Lease Designation	
			UTU-1	
SUNDRY NO	OTICES AND REPORTS	ON WELLS		
Do not use this form for proposals to Use APPLICATI	to drill new wells, deepen existing wells, or to reen ON FOR PERMIT TO DRILL OR DEEPEN form for a	ter plugged and abandoned wells. such proposals.	7. Unit Agreement N #8910	me: 19635A
1. Type of Well: OIL C GAS	OTHER:		4. Well Name and Na Feder	al #11-1
2. Name of Operator: Rocky Mountain Ope	erating Company, In	с.	9. API Well Number: # 4 3 - 0	47-31029
3. Address and Telephone Number: 6111 S. Forest Ct	., Littleton, CO 8	0121 303-850-7921	10. Field and Pool, o Eight	Widom Mile Flat
4. Location of Well Footages: 1979 FSL,	661 FWL		County:	Uintah
oq.s.c.T.R.M: NW SE Sec	<u> </u>		State:	Utah
11. CHECK APPROPE	RIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOI	RT, OR OTHER	R DATA
	OF INTENT		UENT REPORT riginal Form Only)	
☐ Abandon	☐ New Construction	☐ Abandon *	☐ New Const	ruction
Repair Casing	Pull or Alter Casing	☐ Repair Casing	☐ Pull or Alte	r Casing
Change of Plans	☐ Recomplete	☐ Change of Plans	☐ Reperforate	9
Convert to Injection	☐ Reperforate	Convert to Injection	☐ Vent or Fle	
Fracture Treat or Acidize	☐ Vent or Flare	Fracture Treat or Acidize	☐ Water Shu	
☐ Multiple Completion	☐ Water Shut-Off	☐ Other		
Cother See Explanation				
C) Other		Date of work completion		
		* ***		and account on MIST I
Approximate date work will start		Report results of Multiple Completions an COMPLETION OR RECOMPLETION REPO * Must be accompanied by a coment verific	IRT AND LOG form.	
wertical depths for all markers and zones perting a service of the	COC, Inc. intends to bject well within the prices remain stall	begin production of he next 12 months a	on the	
13. Name & Signature: Edward Nei	bauer	Twe: President		Defa: 3-23-99
(This space for State use only)				
Accepte Utah Div Oil, Gas ar	rision of Initions:	IT TO OPERATOR 5-20-99 -CHO The on Reverse Side)	D) E C E APR DIV. OF OIL, (2 1999 GAS & MINING

	STA	TE (OF UT/	AH.	
NOISIVIC	OF	D.	GAS	AND	MINING

	-	5. Lease Designation and Serial Number: UTU~15392
		6. If Indian, Allottee or Tribe Name:
SUNDRY NOTICES AND REPORTS (ON WELLS	
Do not use this form for proposale to drill new wells, deepen sideling wells, or to reente Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for su	r plugged and abandoned wells. th proposels.	7. Unit Agreement Name: #891019635A
1. Type of Well: OIL K GAS OTHER:		6. Well Name and Number: Federal #11-1
2. Name of Operator: Rocky Mountain Operating Company, In	c	# 43-047-31029
a. Address and Telephone Number: 6111 S. Forest Ct., Littleton CO 80		10. Floid and Pool or Wildow: Eight Mile Flat
4. Location of Well 1979 FSL, 661 FWL		County: Uintah
NW SE Sec. 11, T9S, R1	8E	State: Utah
" CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT	T, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQU	ENT REPORT pinal Form Coly)
☐ Abandon ☐ New Construction	☐ Abandon *	☐ New Construction
☐ Repair Casing ☐ Pull or Alter Casing	Repair Casing	☐ Pull or Alter Casing
☐ Change of Plans ☐ Recomplete	Change of Plans	☐ Reperforate
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection	□ Vent or Fiare
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize	☐ Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off	Annual Stat	us Report
Other	D. A d	
Language and address of the standard state of the standard st	Date of work completion	-
Approximate date work will start	Report results of Multiple Completions and COMPLETION OR RECOMPLETION REPORT	Recompletions to different reservoirs on WELL I AND LOG form.
	* Must be accompanied by a coment verification	on report.
ANNUAL STATUS REPORT: waiting on completion leases in order to hel have become very costl	of pipeline supplyi p lower propane cos	ng gas to
Name & Signature: Betty Neibauer Betty Neibauer (This apace for State use only		Date: 2-6-01
THIS SUNDRY IS BEING RETURNED, INTO APPROVE THE REQUESTED ACTION		WAS SUBMITTED
IVARIATIONAL REPORTED TO THE		
The well has been nonactive or nonproductive for <u>8.08</u> years. I reasons and length of time for the well shut-in or temporary abandon not a risk to public health and safety or the environment. Plantices		
or require remedial measures to be taken to establish and maintain th	e wells integrity.	1 70 17 2001
2-20-01 CHD	R. All Mita	DIVISION OF OIL, GAS AND MINING

13.					
Name & Signature:	Betty	Neibauer	Betyroban	two Agent	Dette: 2-8-02

(This space for State use only)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

April 16, 2003

Inland Production Company 410 17th Street, Suite 700 Denver, Colorado 80202

Re:

Eight Mile Flat Unit Uintah County, Utah

Gentlemen:

On April 11, 2003, we received an indenture dated March 1, 2003, whereby Rocky Mountain Operating Company, Inc. resigned as Unit Operator and Inland Production Company was designated as Successor Unit Operator for the Eight Mile Flat Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 16, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Eight Mile Flat Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0056 will be used to cover all operations within the Eight Mile Flat Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Eight Mile Flat Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT922:TAThompson:tt:4/16/03

RECEIVED

APR 1 8 2003

DIV. OF OIL, GAS & MINING

Results of query for MMS Account Number 891019635

Production	API Number	Operator	Well Name	Well Status	Lease or CA Number	Inspection Item	Township	Range	Section	Quarter/Quarter	Fie Nan
Production	<u>4304731181</u>	ROCKY MOUNTAIN OPERATING CO	4-1 HIKO BELL	osi	UTU17424	8910196350	9S	18E	4	SESW	8 MII FLAI N
Production	4304732653	ROCKY MOUNTAIN OPERATING CO	4-3 FEDERAL	TA	UTU17424	8910196350	9S	18E	4	swsw	8 MIL FLAT NOR
Production	<u>4304732654</u>	ROCKY MOUNTAIN OPERATING CO	4-2 FEDERAL	OSI	UTU17424	8910196350	9S	18E	4	NESW	8 MII FLAT NOR
Production	4304731029	ROCKY MOUNTAIN OPERATING CO	11-1 EIGHT MILE FLAT ✓	OSI	UTU15392	891019635A	9S	18E	11	NWSW	8 MII FLAT NOR
Production	<u>4304731126</u>	ROCKY MOUNTAIN OPERATING CO	7-1 EIGHT MILE FLAT	TA	UTU16540	891019635B	9S	18E	7	SENW	8 MII FLA1 NOR
Production	4304731142	ROCKY MOUNTAIN OPERATING CO	18-1 EIGHT MILE FLAT √	osı	UTU39714	891019635B	98	18E	18	NWNW	8 MII FLAT NOR

Production		ROCKY MOUNTAIN OPERATING CO	32-13 EIGHT MILE	osi	UTU18048	891019635D	9 S	18E	13	SWNE	8 MIL FLAT NOR
Production	4304731547	ROCKY MOUNTAIN OPERATING CO	34-8 EIGHT MILE FLAT	OSI	UTU16540	891019635E	9\$	18E	8	SWSE	8 MIL FLAT NOR

DISCLAIMER for online data: No warranty is made by the BLM for use of the data for purposes not intended by the BLM.

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

	U-15392
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: Eight Mile Flat Unit
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	9. API NUMBER:
Inland Production Company 3. ADDRESS OF OPERATOR: PHONE NUMBER:	4304731029
410 17th St. Co ZIP 80202 (303) 893-0102	10. FIELD AND POOL, OR WILDCAT: Monument Butte
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1979' FSL & 661' FWL	соимту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWSW 11 9s 18e	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION The previous operator was: Rocky Mountain Operating Company 6131 S. Forest Ct. Littleton, Colorado Effective March 1, 2003, Inland Production Company is responsible under the terms and cooperations of the leased lands or a portion thereof under Federal Bond #UT-0056.	nes, etc. ve referenced well.
Rocky Mountain Operating Company	
Name: Title:	
Signature: Date:	
NAME (PLEASE PRINT) Brian Harris TITLE Engineering Tec	chnician
SIGNATURE But April DATE 3/7/2003	
(This space for State use only)	

RECEIVED

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for progues to self in new write, spirificantly despen neithing write, believe current battern-holds depth, rewriter plugged wells, or to proguestic to eith new write, spirificantly despen neithing write, believe current battern-holds depth, rewriter plugged wells, or to proguestic to eith new write, spirificantly despen neithing writer butter to proguestic. Do not use this form for proguestic to eith new write, spirificantly despen neithing writer butter, well reloged wells, or to proguestic to eith new writer. Do not use this form for proguestic to eith new writer, spirificantly despen neithing writer butter, which well is the programment butter. There of well. OIL WELL D. GAS WELL D. OTHER. ADDERSON OF PREATOR. In and Production Company A Denver Co., 80,202 Phone Number. 43,0473 102.9 9. APPINUMBER. 10. FIELD AND POOL OR WILDOAT. Monument Butte 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION TYPE OF ACTION CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION ADDICATE PRATE DESCRIPTION PREPARATED SUBMISSION TYPE OF ACTION PRATE DATA ACTION PRATE DATA PRATE DATA ACTION PRATE DATA PRATE DATA PRATE DATA TYPE OF ACTION PRATE DATA PRAT		STATE OF UTAH	050	LOISIN 3
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter phaged wells, or to distributed blevels. Use APPLICATION FOR PERMIT TO DRILL from for such proposals. 1. TYPE OF WELL OIL WELL GAS WELL OTHER 11-1 2. NAME OF OPERATOR. 11-1 2. NAME OF OPERATOR. 11-1 3. ADDRESS OF OPERATOR. 4304731029 3. ADDRESS OF OPERATOR. (303) 893-0102 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1979' FSL & 661' FWL COUNTY. Uintah OTROTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWSW 11 9s 18e STATE: UTAH 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION REPEAR REDIGHN: NEW CONSTRUCTION REPEAR SURFACE: 1979' FSL & 661' FWL CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL CASING PRODUCTION START/RESUME) CHANGE TUBING PRODUCTION START/RESUME WATER SHUT-OFF CONVERT WELL TYPE RECOMPLETE - OIFFERENT FORMATION SUBSEQUENT REPORT CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF CONVERT WELL TYPE RECOMPLETE - OIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.				
Do not use this form for proposals to drift new wells, significantly deepen existing wells below current bottom-hole depth, renter Phugged wells, or to drift in the wells, surprised significantly deepen existing wells below current bottom-hole depth, renter Phugged wells, or to drift in the wells, surprised wells, or to drif	SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
11-1 2. NAMÉ OF OPERATOR: Inland Production Company 4304731029 3. ADDRESS OF OPERATOR: 4304731029 3. ADDRESS OF OPERATOR: 410 17th St. Denver 6774 P. Co 2.5 80202 (303) 893-0102 Monument Butte 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1979' FSL & 661' FWL COUNTY: Uintah 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT (Submit in Dupiteals) Approximate date work will start: CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING PRAVICE PROVIDED PLUS AND BANDON TEMPORALILY ABANDON CHANGE TUBING PLUS AND BANDON TEMPORALILY ABANDON VENT OR FLARE SUBSECUENT REPORT (Submit Original Form Only) Date of work completion: COMMERT WELL TYPE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	Do not use this form for proposals to drill no			
2. NAME OF OPERATOR: Inland Production Company 3. ADDRESS OF OPERATOR: 410 17th St. Denver STATE Co 2. 80202 PHONE NUMBER: 4304731029 410 17th St. Denver STATE Co 2. 80202 (303) 893-0102 Monument Butte FOOTAGES AT SURFACE: 1979 FSL & 661' FWL COUNTY: Uintah 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT (Submit in Duplicale) ALTER CASING FRACTURE TREAT SUBSTRACK TO REPAIR WELL Approximate date work will start: CASING FRACTURE TREAT SUBSTRACK TO REPAIR WELL Approximate date work will start: CASING FRACTURE TREAT SUBSTRACK TO REPAIR WELL CHANGE TUBING PLUS AND DEPENDENT TEMPORARILLY ABANDON TEMPORARILLY ABANDON VENT OR FLARE UTAH 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	A 20/DE OF MELL			1
Inland Production Company 3. ADDRESS OF OPERATOR: 410 17th St. Denver PHONE NUMBER: 410 17th St. Denver PHONE NUMBER: 410 17th St. Denver PHONE NUMBER: 410 17th St. Denver POLICE (303) 893-0102 3. ADDRESS OF OPERATOR: 410 17th St. Denver PHONE NUMBER: 410 17th St. Denver POLICE (303) 893-0102 410 17th St. Denver PHONE NUMBER: 410 17th St. Denver POLICE (303) 893-0102 410 17th St. Denver PHONE NUMBER: 410 17				
A LOCATION OF WELL FOOTAGES AT SURFACE: 1979' FSL & 661' FWL OTRICAT, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWSW 11 9s 18e STATE: UTAH 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION NOTICE NOTICE DEEPEN REPERFORATE CURRENT FORMATION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION Approximate date work will start: CASING REPAIR ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON VENT OR FLARE WATER DISPOSAL WATER DISPOSAL CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - OIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.				
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1979' FSL & 661' FWL QTRIOTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWSW 11 9s 18e STATE: UTAH 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR NEW CONSTRUCTION TEMPORARILLY ABANDON CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		Denver		
TYPE OF SUBMISSION ACIDIZE DEEPEN REPORT, OR OTHER DATA		Denver STAFT CO 250	0202 (303) 093-0	7102 Mondinest Batta
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR Approximate date work will start: CASING REPAIR NEW CONSTRUCTION TEMPORARILY ABANDON CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR TUBING REPAIR UNENT OR FLARE CHANGE WELL NAME PLUG AND ABANDON VENT OR FLARE WATER DISPOSAL CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		FSL & 661' FWL		соинту: Uintah
TYPE OF SUBMISSION NOTICE OF INTENT (Submit in Duplicate)	QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN: NWSW 11 9s 1	8e	
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING Approximate date work will start: Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE CHANGE WELL NAME CHANGE WELL NAME PLUG BACK WATER DISPOSAL CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS TO CHANGE WELL TYPE RECOMPLETE - DIFFERENT FORMATION DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	11. CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE	, REPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR NEW CONSTRUCTION TEMPORARILY ABANDON TEMPORARILY ABANDON TUBING REPAIR UCHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING PLUG AND ABANDON VENT OR FLARE CHANGE WELL NAME PLUG BACK WATER DISPOSAL CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	TYPE OF SUBMISSION		TYPE OF ACTIO	N
Approximate date work will start: Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING PLUG AND ABANDON CHANGE TUBING CHANGE TUBING PLUG AND ABANDON VENT OR FLARE CHANGE WELL NAME CHANGE WELL NAME PLUG BACK WATER DISPOSAL WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	NOTICE OF INTENT	ACIDIZE	DEEPEN	<u></u>
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE CHANGE TUBING PLUG AND ABANDON WATER DISPOSAL CHANGE WELL NAME PLUG BACK WATER DISPOSAL CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	
CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL NAME PLUG BACK WATER DISPOSAL CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF	_	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		CHANGE WELL STATUS	PRODUCTION (START/RESUM	WATER SHUT-OFF
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	Date of Work Completion	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
		CONVERT WELL TYPE	RECOMPLETE - DIFFERENT F	ORMATION
NAME (PLEASE PRINT) Brian Harris TITLE Engineering Technician	NAME (PLEASE PRINT) Brian Har	rris ,	τιτιε Enginee	ring Technician
SIGNATURE DATE 3/7/2003	B	a Apm s	3/7/2001	3

(This space for State use only)

PEC:

APR 2 5 2003

Name & Signature: Betty Neibauer Blty Nuban Tric: Agent Date: 4-7-03

(This space for State use only)

RECEIVED

MAY 1 2 2003

OPERATOR CHANGE WORKSHEET

ROUTING-				
1. GLH	l			
2. CDW	l			
3. FILE	l			

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:				03/01/2003				
FROM: (Old Operator):				TO: (New Operator):				
Rocky Mountain Operating Company, Inc.				Inland Product	ion Compan	у		
6111 S Forest Court				410 17th St., S	uite 700			
Littleton, CO 80121				Denver, CO 80	202			
Phone: 1-(303) 850-7921			Phone: 1-(303)	893-0102				
Account No. N4890				Account No.	N5160			
CA No				Unit:	Eight Mile	Flat		'
WELL(S)								
	SEC	TWN	1	API NO	ENTITY	LEASE	WELL	WELL
NAME	RN	G			NO	TYPE	TYPE	STATUS
FEDERAL 12-11-9-18	11		180E	4304731029	10970	Federal	ow	S
FEDERAL 6-7-9-18	07	090S	180E	4304731126	10969	Federal	OW	S
FEDERAL 8-3-9-18	03	090S	180E	4304731127	570	Federal	OW	S
FEDERAL 4-18-9-18	18	090S	180E	4304731142	10969	Federal	OW	S
FEDERAL 14-4-9-18	04	090S	180E	4304731181	10971	Federal	OW	S
FEDERAL 15-7-9-18	07	090S	180E	4304731202	564	Federal	OW	S
32-13	13	090S	180E	4304731277	10276	Federal	ow	S
EIGHT MILE FLAT UNIT 34-8	08	090S	180E	4304731547	10972	Federal	OW	S
FEDERAL 13-4-9-18	04	090S	180E	4304732653	10971	Federal	ow	S
FEDERAL 11-4-9-18	04	090S	180E	4304732654	10971	Federal	ow	S
NOT UNIT WELLS							ļ	ļ
FEDERAL 6-10-9-18	10			4304731214	10973	Federal	ow	S
FEDERAL 7-8-9-18	08	090S	180E	4304731274	554	Federal	ow	S
	1							
	+				1	1		ļ
		<u> </u>			4			

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 04/25/2003

The new company has been checked through the Department of Commerce, Division of Corporations Database on: ______06/27/2003

Is the new operator registered in the State of Utah:

YES Business Number:

755627-0143

5. If NO, the operator was contacted contacted on:

€.	(R649-9-2)Waste Management Plan has been received on:	IN PLACE	_	
7.	Federal and Indian Lease Wells: The BLM and or the BIA or operator change for all wells listed on Federal or Indian leases on:	has approve	ed the merger, name 04/16/2003 BIA	e change, n/a
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for we	ells listed on:	04/16/2003	
9.	Federal and Indian Communization Agreements ("CAThe BLM or BIA has approved the operator for all wells listed with	•	n/a	
10	D. Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water disposed.	= =		of Authority to Inject,
D	ATA ENTRY:			
1.	Changes entered in the Oil and Gas Database on:	06/27/2003	_	
2.	Changes have been entered on the Monthly Operator Change Sprea	d Sheet on:	06/27/2003	
3.	Bond information entered in RBDMS on:	n/a	_	
4.	Fee wells attached to bond in RBDMS on:	n/a	_	
S 7	FATE WELL(S) BOND VERIFICATION: State well(s) covered by Bond Number:	n/a	_	
	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	UT-0056	_	
IN 1.	NDIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	n/a	_	
	EE WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed covered by Bo	ond Number	n/a	
	The FORMER operator has requested a release of liability from their by The Division sent response by letter on:	oond on: n/a	n/a 	
	EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been contact of their responsibility to notify all interest owners of this change on:	ed and informed	by a letter from the D	ivision
CC	OMMENTS:			

Corporations Section P.O.Box 13697 Austin, Texas 78711-3697





Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.





Secretary of State

ARTICLES OF AMENDMENT TO THE ARTICLES OF INCORPORATION OF INLAND PRODUCTION COMPANY

In the Office of the Secretary of State of Texas

SEP 02 2004

Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 - Name

The name of the corporation is Inland Production Company.

ARTICLE 2 - Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE - The name of the corporation is Newfield Production Company."

ARTICLE 3 - Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

Susan G. Riggs, Treasurer



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-924)

September 16, 2004

Memorandum

To:

Vernal Field Office

From:

Acting Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Milas Llouters

Michael Coulthard Acting Chief, Branch of Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225 State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114

Teresa Thompson Joe Incardine Connie Seare

TIMET	15055	C1050	70000	50501	
UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
•	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357 [.]	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553·	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	•
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833 [,]	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	٠
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239	•	
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		
	20210	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 0000	i	

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

Designation of Agent/Operator

Change of Operator (Well Sold)

X Operator Name Change

Merger

The operator of the well(s) listed below	The operator of the well(s) listed below has changed, effective:					9/1/2004			_
FROM: (Old Operator): N5160-Inland Production Company Route 3 Box 3630 Myton, UT 84052				TO: (New Operator): N2695-Newfield Production Company Route 3 Box 3630 Myton, UT 84052					
Phone: 1-(435) 646-3721				Phone: 1-(435)	646-3721				╛
C.	A No.			Unit:					_
WELL(S)								 	_
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
COUNTY LINE FED 1-35	35	080S	170E	4304731380	1461	Federal	ow	P	
COUNTY LINE FED 2-35	35	080S	170E	4304731403	1462	Federal	ow	S	\bot
NGC ST 33-32	32	080S	180E	4304731116	6210	State	ow	P	ᆚ
GULF STATE 36-13	36	080S	180E	4304731345	45	State	ow	P	\perp
GULF STATE 36-11	36	080S	180E	4304731350	40	State	OW	P	\perp
FEDERAL 6-13-9-16	13	090S	160E	4301332657		Federal	ow	APD	K
FEDERAL 5-13-9-16	13	090S	160E	4301332658		Federal	ow	APD	K
FEDERAL 2-13-9-16	13	090S	160E	4301332659		Federal	ow	APD	K
FEDERAL 1-13-9-16	13	090S	160E	4301332660		Federal	OW	APD	K
FEDERAL 7-14R-9-17	14	090S	170E	4304731129		Federal	NA	PA	K
FEDERAL 8-3-9-18	03	090S	180E	4304731127		Federal	OW	P	丄
FEDERAL 14-4-9-18	04			4304731181	10971	Federal	ow	P	\perp
FEDERAL 6-7-9-18	07	090S	180E	4304731126		Federal	OW	P	_
FEDERAL 15-7-9-18	07	090S	180E	4304731202		Federal	ow	S	\perp
FEDERAL 7-8-9-18	08	090S	180E	4304731274		Federal	ow	P	丄
FEDERAL 6-10-9-18	10	1		4304731214		Federal	ow	S	\perp
FEDERAL 12-11-9-18	11	090S	180E	4304731029		Federal	ow	S	4
FEDERAL 7-13-9-18	13					Federal	ow	S	\bot
FEDERAL 4-18-9-18	18					Federal	ow	P	\bot
FEDERAL 32-29	29	090S	180E	4304731175	6170	Federal	ow	P	_
									4
		<u> </u>		<u> </u>					لـــ

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 9/15/2004
 (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 9/15/2004

3. The new company was checked on the Department of Commerce, Division of Corporations Database on:

2/23/2005

4. Is the new operator registered in the State of Utah:

YES Business Number:

755627-0143

5. If NO, the operator was contacted contacted on:

a. (R649-9-2)Waste Management Plan has been received on:	IN PLACE		
b. Inspections of LA PA state/fee well sites complete on:	waived		
Federal and Indian Lease Wells: The BLM and o	or the BIA has appro-	ved the merger, i	name change,
or operator change for all wells listed on Federal or Indian l	leases on:	BLM	BIA
Federal and Indian Units:			
The BLM or BIA has approved the successor of unit oper	rator for wells listed on:	n/a	
Federal and Indian Communization Agreement The BLM or BIA has approved the operator for all wells		na/	
0. Underground Injection Control ("UIC") T Inject, for the enhanced/secondary recovery unit/project for	The Division has approve r the water disposal well		2/23/2005
ATA ENTRY:			
Changes entered in the Oil and Gas Database on:	2/28/2005		
Changes have been entered on the Monthly Operator Cha	ange Spread Sheet on:	2/28/200	5
Bond information entered in RBDMS on:	2/28/2005		
Fee/State wells attached to bond in RBDMS on:	2/28/2005		
Injection Projects to new operator in RBDMS on:	2/28/2005		
Receipt of Acceptance of Drilling Procedures for APD/New	v on:	waived	
EDERAL WELL(S) BOND VERIFICATION:		0111 1. J.	
Federal well(s) covered by Bond Number:	<u>UT 0056</u>		
NDIAN WELL(S) BOND VERIFICATION:			
Indian well(s) covered by Bond Number:	61BSBDH2912		
EE & STATE WELL(S) BOND VERIFICATIO (R649-3-1) The NEW operator of any fee well(s) listed cov		61BSBDH2	919
The FORMER operator has requested a release of liability for The Division sent response by letter on:	from their bond on:n/a	n/a*	
EASE INTEREST OWNER NOTIFICATION:			
(R649-2-10) The FORMER operator of the fee wells has be of their responsibility to notify all interest owners of this characteristics.		ned by a letter from n/a	the Division
OMMENTS:			
Bond rider changed operator name from Inland Production Co.	mpany to Newfield Proc	luction Company - 1	received 2/23/05

FORM 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires January 31,2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals

UTU-15392

Lease Serial No.

abandoned well. Use Form 3160-3 (APD) for such proposals.					
SUBMIT IN TRIPLICATE - Other Instructions on reverse side					
Other OMPANY		8	FEDERAL 12-1		
	3b. Phone (include are	e code)	4304731029		
Sec., T., R., M., or Survey De	435.646.3721 escription)		MONUMENT BU 1. County or Parish	TTE	
APPROPRIATE BO	X(ES) TO INIDICATE NA	ATURE OF NO		ER DATA	
	ТҮР	E OF ACTION			
Acidize Alter Casing Casing Repair Change Plans Convert to	Deepen Fracture Treat New Construction Plug & Abandon Plug Back	Reclamation Recomplete Temporarily	n [/ Abandon	Water Shut-Off Well Integrity Other	
	CAPPROPRIATE BO Acidize Alter Casing Casing Repair Change Plans	Acidize Acidize Acidize Acidize Acidize Casing Repair Characteristrictions on reverse significant proposals Appropriate Significant proposals Appropriate Significant proposals Acidize Casing Repair Change Plans Acid APPROPRIATE BOX(ES) TO INIDICATE NATIONAL Proposals Acid Casing Casing Casing Repair Change Plans Plug & Abandon	RIPEICATE - Other Instructions on reverse side Other Other 3b. Phone (include are code) 435.646.3721 Sec., T., R., M., or Survey Description) CAPPROPRIATE BOX(ES) TO INIDICATE NATURE OF NOTTYPE OF ACTION Acidize Deepen Production(Alter Casing Fracture Treat Reclamation Casing Repair New Construction Recomplete Change Plans Plug & Abandon Temporarily	APPROPRIATE BOX(ES) TO INIDICATE NATURE OF NOTICE, OR OTH TYPE OF ACTION Acidize Acidize Acidize Deepen Alter Casing Repair Change Plans Allottee 7. If Unit or CA/Agr 8. Well Name and N 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N FEDERAL 12-1 9. API Well No. 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N FEDERAL 12-1 9. API Well No. 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N FEDERAL 12-1 9. API Well No. 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N FEDERAL 12-1 9. API Well No. 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH, UT 8. Well Name and N FEDERAL 12-1 9. API Well No. 4304731029 10. Field and Pool, or MONUMENT BL 11. County or Parish UINTAH 11. County or Parish UINTAH 12. Casing Repair Production(Start/Resume) Reclamation Recomplete	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Newfield requests a change of status to TA this well. Newfield plans to Re-Complete this well in the near future in the following intervals.

CP5, Cp4,

Accepted by the Utah Division of Oil, Gas and Mining For Record Only

I hereby certify that the foregoing is true and correct (Printed/ Typed)	Title	
Kathy Chapman	Office Manager	
Signature Lother Charam	Date 01/30/2008	
THIS SPACE FOR	REDERAL OR STATE OFFIC	EUSE
Approved.by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not wa certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

FEB 0 6 2008

Sundry Number: 72405 API Well Number: 43047310290000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	STATE OF UTAH		FORM 9		
I	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-15392		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal I n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)		
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: FEDERAL 12-11-9-18				
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43047310290000		
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		NE NUMBER: t	9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1979 FSL 0661 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HP, RANGE, MERIDIAN: 11 Township: 09.0S Range: 18.0E Meridian:	S	STATE: UTAH		
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION		TYPE OF ACTION			
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all per				
The decision has been made to Plug and Abandon the above mentioned well. The proposed P&A Procedure and well bore diagram is attached. A 100' plug will be placed at 1304' in order to protect the base of usable water datum (USDW). Approved by the Utah Division of Oil, Gas and Mining July 07, 2016 By: Please Review Attached Conditions of Approval					
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech			
SIGNATURE N/A		DATE 6/14/2016			



The Utah Division of Oil, Gas, and Mining

- State of UtahDepartment of Natural Resources

Electronic Permitting System - Sundry Notices

Sundry Conditions of Approval Well Number 43047310290000

A 100' cement plug should be placed across the surface shoe from 350' to 250' as required by R649-3-24-3.6.

RECEIVED: Jul. 07, 2016

NEWFIELD PRODUCTION COMPANY

Federal #12-11-9-18


Plug & Abandonment Procedure


DOWNHOLE DATA		
Elevation:	4890' GL; 4900' KB	
TD:	6200'	
Surface casing:	8-5/8" J-55 24# @ 300"	
	cmt w/ 175 sks to surface	
Production casing:	5-1/2" K-55 17# @ 5657'	TOC @ surface
	cmt w/ 537 sks, 50/50 POZ to	
	surface	
PBTD:	6200'	
Tubing:	2-3/8" 4.7# J-55 180 jts	EOT N/A
Existing Perfs:	See WBD	See WBD for Treatment
		information
Notes:		See WBD

PROCEDURE

- 1. Notify BLM as necessary prior to P&A. Dig, line, and fence pit as necessary for cement wash up and returns. MIRU.
- 2. Release TAC and TOOH with tubing.
- 3. MU 5-1/2" 17# casing scraper and round trip to ± 4692 '.
- 4. TIH with 5-1/2" CIBP and set at 4642'. Pressure test CIBP to 1500 psi for 5 minutes.
- 5. TIH to 4632'. RU cement company.
- 6. Plug #1: Mix and pump a total of 2.4 bbl Class G cement to set a 100' balanced plug from 4642' to 4542'.
- 7. Pull tubing above cement, reverse circulate to clean pipe and ensure clean TOC.
- 8. TOOH to 1394'.
- 9. <u>Plug #2</u>: Mix and pump a total of 2.4 bbl Class G cement for a 100' balanced plug from 1404' and 1304'. This plug will isolate the Green River at 1354'.
- 10. Pull tubing above cement, reverse circulate to clean pipe and ensure clean TOC
- 11. TOOH to 100'
- 12. <u>Plug #3:</u> Mix and pump a total of 2.4 bbl Class G cement for a 100' balanced plug at surface. Top off as needed.
- 13. RDMO cementing company and rig. ND BOP and NU tubing head adapter or other w/ valve.

14. MI welder and cut off 5-1/2" and 8-5/8" casing 3 feet below grade and weld on P&A marker.





			T	
	FORM 9			
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-15392	
SUNDF	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon m for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)	
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: FEDERAL 12-11-9-18			
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	9. API NUMBER: 43047310290000			
3. ADDRESS OF OPERATOR: Rt 3 Box 3630, Myton, UT	, 84052 435 646-4825	PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1979 FSL 0661 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSW Section: 11 Township: 09.0S Range: 18.0E Meridian: S			STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
7/27/2016	OPERATOR CHANGE	✓ PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
Report Date:	l —			
		OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The above mentioned well was Plugged and Abandoned on 07/27/2016. Attached please find the daily rig summary report and updated wellbore diagram. Cade Taylor with the Bureau of Land Management was present to witness the TOC and metal surface cap marker being set into place. The GPS coordinates are as follows 40 04' 20" N - 109 52' 02" W (40.07223 -109.86723) Sec. 11, T9S R18E This was a single well location and will be added to our reclamation schedule this year for final reclamation.				
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBI 435 646-4825	R TITLE Regulatory Tech		
SIGNATURE	400 040 ⁻ 4020	DATE		
N/A		8/11/2016		

NEWFIELD		
de	We .	

Summary Rig Activity

Well Name: Federal 12-11-9-18

Job Category	Job Start Date	Job End Date

Daily Operation			
Report Start Date 7/25/2016			n to be backed off w/ 153- total rods out. NU BOPs. TOOH w/ tbg & found tbg to be backed off w/ 150- jts out.
Start Time 05:30		End Time 07:00	Crew travel
Start Time 07:00		End Time 09:00	Comment MIRU WOR
Start Time 09:00		End Time 11:30	Comment Pump 60 bbls water down csg @ 250 deg. Pressure started @ 1500 psi/1/4 bpm and dropped off to 300 psi/1- 1/2 BPM. Tbg was flowing a lot of oil & gas. Tie hot oiler into tbg to attempt top kill of tbg. Pressure and rate started out @ 1000 psi/1/2 BPM & ended w/ 200 psi/1-3/4 BPM after pumping 55 bbls down tbg.
Start Time 11:30		End Time 15:00	Comment TOOH w/ & LD rods as follows: 1-1/2" X 26' polished rod, 2' X 7/8" pony rod, 93- 7/8" guided rods (6 per), 60- 3/4" guided rods (6 per). Found rods to be backed off w/ rod coupling on bottom of total rod count #153. Flush tbg w/ additional 50 bbls water @ 250 deg once out of the hole w/ rods.
Start Time 15:00		End Time 16:00	Comment ND wellhead. PU on tbg & found TAC not set. NU Weatherford 5K double BOPs dressed w/ blind rams on bottom & 2-7/8" pipe rams on top. RU rig floor.
Start Time 16:00		End Time 18:30	Comment TOOH w/ & tallied 150- jts 2-7/8" J-55 6.5# 8rd EUE tbg. Found tbg to be backed off leaving tbg coupling on bottom of jt #150. SWIFN
Start Time 18:30		End Time 20:00	Comment Crew travel
Report Start Date 7/26/2016	7/26/2016	24hr Activity Summary FIH w/ fishing tool on tbg. RIH w/ sandlin pressure test csg & CIBP. SWIFN	e to verify no rods were swallowed in tbg. TOOH w/ tbg & LD fishing tools. PU & TIH w/ CIBP on tbg. Pressure test tbg. Set CIBP &
Start Time 05:30	,	End Time 07:00	Comment Crew travel
Start Time 07:00		End Time 10:00	Comment MU & TIH w/ 4-11/16 overshot dressed w/ 2-7/8" grapple, 2-7/8" X 6' L-80 6.5# 8rd EUE tbg sub, 150- jts 2-7/8" J- 55 6.5# 8rd EUE tbg, PU 1- 10',8',4' X 2-7/8" L-80 6.5# 8rd EUE tbg subs. EOT @ 4641'. Did not see any indication that there was a fish in the hole.
Start Time 10:00		End Time 12:30	Comment RU sandline to RIH & verify there wasn't any rods swallowed into tbg. RIH w/ sandline to 100' and stacked out on heavy oil. POOH w/ sandline. RU hot oiler & flush tbg w/ 40 bbls water @ 250 deg. RIH w/ sandline to 4641' & did not stack out on any obstruction. POOH w/ sandline & RD same.
Start Time 12:30		End Time 14:30	Comment TOOH w/ tbg as ran previously. LD fishing overshot.
Start Time 14:30		End Time 17:00	Comment MU & TIH w/ CIBP & setting tool, PSN, 150- jts 2-7/8" J-55 6.5# 8rd EUE tbg, 1- 10',8',6',4' X 2-7/8" L-80 6.5# 8rd EUE tbg subs. Set CIBP @ 4642' KB. Pressure test tbg to 2000 psi. Unsting from CIBP & LD 4' & 6' 2-7/8" L-80 6.5# 8rd EUE tbg subs, place EOT @ 4632'. Pressure test csg & CIBP to 1500 psi for 15 min. Circulate well clean w/ 120 bbls water @ 250 deg. SWIFN
Start Time 17:00		End Time 18:30	Comment Crew travel
Report Start Date 7/27/2016			
Start Time 05:30		End Time 07:00	Crew travel

NEWFIELD

Summary Rig Activity

Well Name: Federal 12-11-9-18

Start Time	End Time	Comment
07:00	08:00	RU cement pumping equipment. W/ 150- jts 2-7/8" J-55 6.5# 8rd EUE tbg, 10' & 8' X 2-7/8" L-80 6.5# 8rd EUE tbg subs (EOT @ 4632' KB), Mix & pump 15 sxs 15.8# G cement (3 bbls) balance plug. Displace cement w/ 26 bbls water. Cement from 4632'-4503' KB.
Start Time 08:00	End Time 09:00	Comment TOOH & LD 104- jts 2-7/8" J-55 6.5# 8rd EUE tbg. Place EOT @ 1406' KB
Start Time 09:00	End Time 09:30	Comment Mix & pump 15 sxs 15.8# G cement (3 bbls) balance plug. Displace cement w/ 7.3 bbls water. Cement from 1406'-1277' KB.
Start Time 09:30	End Time 10:00	Comment TOOH & LD 34- jts (138- jts total out, 12- jts in) 2-7/8" J-55 6.5# 8rd EUE tbg. Place EOT @ 365' KB
Start Time 10:00	End Time 10:30	Comment Mix & pump 15 sxs 15.8# G cement (3 bbls) balance plug. Displace cement w/ 1.3 bbls water. Cement from 365'-236' KB.
Start Time 10:30	End Time 11:00	Comment TOOH & LD 8- jts (146- jts total out, 4- jts in) 2-7/8" J-55 6.5# 8rd EUE tbg. Place EOT @ 146' KB
Start Time 11:00	End Time 11:30	Comment Mix & pump 15 sxs 15.8# G cement (3 bbls) balance plug. Cement from 126' to surface. All cement pumped was witnessed by Cade Taylor, Oil & Gas Inspector w/ BLM (435)890-8160 cctaylor@blm.gov
Start Time 11:30	End Time 12:00	Comment TOOH & LD 4- jts 2-7/8" J-55 6.5# 8rd EUE tbg. Wash up & RD cement equipment.
Start Time 12:00	End Time 13:00	Comment RDMO WOR.
Start Time 13:00	End Time 13:30	Comment ND Weatherford BOPs
Start Time 13:30	End Time 15:30	Comment Dig up & cut off surface csg & production csg approx 5' below ground level. Could not see TOC in 8-5/8" surface csg.
Start Time 15:30	End Time 17:30	Comment MU & run 1" PVC pipe in 8-5/8" X 5-1/2" annulus. Mix & pump 20 sxs 15.8# G cement down 1" PVC to circulate cement filling annulus. All cement pumped was witnessed by Cade Taylor, Oil & Gas Inspector w/ BLM (435)890 -8160 cctaylor@blm.gov
Start Time 17:30	End Time 18:30	Comment Move rig to 41-31-9-17
Start Time 18:30	End Time 20:00	Comment Crew travel

Federal 12-11-9-18

Spud Date: 7/31/1981 Put on Production: 10/16/1981

GL: 4890' KB: 4900'

SURFACE CASING

CSG SIZE: 8-5/8" GRADE: J-55 WEIGHT: 24# LENGTH: 300' HOLE SIZE:12-1/4"


CEMENT DATA: 175 sxs cmt. Returns to surface.

PRODUCTION CASING

CSG SIZE: 5-1/2" GRADE: K-55 WEIGHT: 17# LENGTH: 5657' HOLE SIZE: 7-7/8"

CEMENT DATA: 537 sxs cement, 50/50 POZ.

CEMENT TOP AT: ? per CBL



NEWFIELD Federal 12-11-9-18

(AKA #11-1) 1979' FSL & 661' FWL NWSW Section 11-T9S-R18E Uintah Co, Utah API #43-047-31029; Lease #U-15392